

# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-001 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-001

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMSxxxM-60, JKMSxxxM-60(Plus), JKMSxxxM-60(Plus)-MX, JKMSxxxM-60(Plus)-MX-V, JKMSxxxM-60-J, JKMSxxxM-60-MX, JKMSxxxM-60-MX-MW, JKMSxxxM-60-MX3, JKMSxxxM-60B, JKMSxxxM-60B-MX, JKMSxxxM-60B-MX-V, JKMSxxxM-60B-MX3, JKMSxxxM-60B-TI, JKMSxxxM-60B-V-MX3, JKMSxxxM-60B-V-TI, JKMSxxxM-60BL-MX, JKMSxxxM-60BL-MX3, JKMSxxxM-60BL-TI, JKMSxxxM-60BL-V-MX3, JKMSxxxM-60BL-V-TI, JKMSxxxM-60H-MBB-TI, JKMSxxxM-60H-MBB-V-MX3, JKMSxxxM-60H-MBB-V-TI, JKMSxxxM-60H-MX3, JKMSxxxM-60H-TI, JKMSxxxM-60H-V-MX3, JKMSxxxM-60HB-MX3, JKMSxxxM-60HB-TI, JKMSxxxM-60HB-V-MX3, JKMSxxxM-60HBL-MX3, JKMSxxxM-60HBL-MX3-Q, JKMSxxxM-60HBL-TI, JKMSxxxM-60HBL-TI-Q, JKMSxxxM-60HBL-V-MX3, JKMSxxxM-60HL-MX3, JKMSxxxM-60HL-MX3-Q, JKMSxxxM-60HL-TI, JKMSxxxM-60HL-TI-Q, JKMSxxxM-60HL-V-MX3, JKMSxxxM-60HL-V-MX3-Q, JKMSxxxM-60HL-V-TI-Q, JKMSxxxM-60HLM-B-MX3, JKMSxxxM-60HLM-B-V-MX3, JKMSxxxM-60HLM-MX3, JKMSxxxM-60HLM-V-MX3, JKMSxxxM-60L-MX, JKMSxxxM-60L-MX3, JKMSxxxM-60L-TI, JKMSxxxM-60L-V-MX3 and JKMSxxxM-60L-V-TI

**Product data – type JKMSxxxM-60**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60(Plus)**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60(Plus)-MX**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60(Plus)-MX-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60B**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V

Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60BL-MX**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60BL-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60BL-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60BL-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60BL-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60B-MX**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60B-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60B-MX-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60B-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60B-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60B-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60HBL-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HBL-MX3-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HBL-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HBL-TI-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HBL-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60HB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HB-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60HLM-B-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=350-370, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HLM-B-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=350-370, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60HLM-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=350-385, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HLM-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=350-385, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60HL-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HL-MX3-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HL-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HL-TI-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HL-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60HL-V-MX3-Q**

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60HL-V-TI-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-350, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60H-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60H-MBB-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-355, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60H-MBB-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-355, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60H-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60H-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60H-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-60-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60L-MX**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60L-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60L-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60L-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60L-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60-MX**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60-MX-MW**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 60 cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-001 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam



Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-002 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-002

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMSxxxM-60-MX-V, JKMSxxxM-60-TI, JKMSxxxM-60-V, JKMSxxxM-60-V-J, JKMSxxxM-60-V-MX3, JKMSxxxM-60-V-TI, JKMSxxxM-66H-MBB-MX3, JKMSxxxM-66H-MBB-V-MX3, JKMSxxxM-66H-TI, JKMSxxxM-66H-V-TI, JKMSxxxM-66HB-TI, JKMSxxxM-66HB-V-TI, JKMSxxxM-6RL3-B-TI, JKMSxxxM-6RL3-B-V-TI, JKMSxxxM-6RL3-TI, JKMSxxxM-6RL3-V-TI, JKMSxxxM-6TL3-B-TI, JKMSxxxM-6TL3-B-V-TI, JKMSxxxM-6TL3-TI, JKMSxxxM-6TL3-V-TI, JKMSxxxM-72, JKMSxxxM-72(Plus), JKMSxxxM-72(Plus)-MX, JKMSxxxM-72(Plus)-MX-V, JKMSxxxM-72B, JKMSxxxM-72B-MX, JKMSxxxM-72B-MX-V, JKMSxxxM-72B-MX3, JKMSxxxM-72B-TI, JKMSxxxM-72B-V-MX3, JKMSxxxM-72B-V-TI, JKMSxxxM-72BL-MX, JKMSxxxM-72BL-MX3, JKMSxxxM-72BL-TI, JKMSxxxM-72BL-V-MX3, JKMSxxxM-72BL-V-TI, JKMSxxxM-72HB-MX3, JKMSxxxM-72HB-TI, JKMSxxxM-72HB-V-MX3, JKMSxxxM-72HBL-MX3-Q, JKMSxxxM-72HBL-TI, JKMSxxxM-72HBL-TI-Q, JKMSxxxM-72HBL-V-MX3, JKMSxxxM-72HL-MX3, JKMSxxxM-72HL-MX3-Q, JKMSxxxM-72HL-TI, JKMSxxxM-72HLM-B-MX3, JKMSxxxM-72HLM-B-V-MX3, JKMSxxxM-72HLM-MX3 and JKMSxxxM-72HLM-V-MX3

**Product data – type JKMSxxxM-60-MX-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60-TI**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60-V-J**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60-V-MX3**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-60-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMSxxxM-66HB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=340-365, with increments of 5W, 132 half-cut cells

**Product data – type JKMSxxxM-66HB-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-365, with increments of 5W, 132 half cut cells

**Product data – type JKMSxxxM-66H-MBB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=370-390, with increments of 5W, 132 half-cut cells

**Product data – type JKMSxxxM-66H-MBB-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-390, with increments of 5W, 132 half cut cells

**Product data – type JKMSxxxM-66H-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=340-390, with increments of 5W, 132 half-cut cells

**Product data – type JKMSxxxM-66H-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-390, with increments of 5W, 132 half cut cells

**Product data – type JKMSxxxM-6RL3-B-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-405, with increments of 5W, 132 half-cut cells

**Product data – type JKMSxxxM-6RL3-B-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-405, with increments of 5W, 132 half cut cells

**Product data – type JKMSxxxM-6RL3-TI**

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V  
Description : xxx=360-415, with increments of 5W, 132 half-cut cells

**Product data – type JKMSxxxM-6RL3-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-415, with increments of 5W, 132 half cut cells

**Product data – type JKMSxxxM-6TL3-B-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-365, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-6TL3-B-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-365, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-6TL3-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-380, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-6TL3-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-380, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxM-72**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72(Plus)**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72(Plus)-MX**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420,with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72(Plus)-MX-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72BL-MX**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420,with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72BL-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72BL-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72BL-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72BL-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72B-MX**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420,with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72B-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72B-MX-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72B-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72B-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72B-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72HBL-MX3-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HBL-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HBL-TI-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HBL-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72HB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HB-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72HLM-B-MX3**

Design : PV module with mono c-Si cells



Maximum System voltage : 1000V  
Description : xxx=415-445, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HLM-B-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=415-445, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72HLM-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=420-465, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HLM-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=400-480, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72HL-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HL-MX3-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HL-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-002 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaying City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-003 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-003

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMSxxxM-72-J, JKMSxxxM-72-MX, JKMSxxxM-72-MX-MW, JKMSxxxM-72-MX-V, JKMSxxxM-72-MX3, JKMSxxxM-72-TI, JKMSxxxM-72-V, JKMSxxxM-72-V-J, JKMSxxxM-72-V-MX3, JKMSxxxM-72-V-TI, JKMSxxxM-72H-MBB-MX3, JKMSxxxM-72H-MBB-TI, JKMSxxxM-72H-MBB-V-MX3, JKMSxxxM-72H-MBB-V-TI, JKMSxxxM-72H-MX3, JKMSxxxM-72H-TI, JKMSxxxM-72H-V-MX3, JKMSxxxM-72HL-TI-Q, JKMSxxxM-72HL-V-MX3, JKMSxxxM-72HL-V-MX3-Q, JKMSxxxM-72HL-V-TI-Q, JKMSxxxM-72L-MX, JKMSxxxM-72L-MX3, JKMSxxxM-72L-TI, JKMSxxxM-72L-V-MX3, JKMSxxxM-72L-V-TI, JKMSxxxM-78H-MBB-MX3, JKMSxxxM-78H-MBB-V-MX3, JKMSxxxM-78H-TI, JKMSxxxM-78H-V-TI, JKMSxxxM-78H-V-TI-Q, JKMSxxxM-78HB-TI, JKMSxxxM-78HB-V-TI, JKMSxxxM-7RL3-B-TI, JKMSxxxM-7RL3-B-V-TI, JKMSxxxM-7RL3-TI, JKMSxxxM-7RL3-V-TI, JKMSxxxN-60H-MBB-B-TI, JKMSxxxN-60H-MBB-B-V-TI, JKMSxxxN-60H-MBB-TI, JKMSxxxN-60H-MBB-V-TI, JKMSxxxN-6RL3-B-TI, JKMSxxxN-6RL3-B-V-TI, JKMSxxxN-6RL3-TI, JKMSxxxN-6RL3-V-TI, JKMSxxxN-6TL3-B-TI, JKMSxxxN-6TL3-B-V-TI, JKMSxxxN-6TL3-TI, JKMSxxxN-6TL3-V-TI and JKMSxxxN-72H-MBB-B-TI

**Product data – type JKMSxxxM-72HL-TI-Q**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HL-V-MX3**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=335-395, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72HL-V-MX3-Q**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=335-395, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72HL-V-TI-Q**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=335-425, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72H-MBB-MX3**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=385-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72H-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72H-MBB-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-425, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72H-MBB-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-425, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72H-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72H-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72H-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxM-72-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72L-MX**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420,with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72L-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72L-TI**

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72L-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72L-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72-MX**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420,with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72-MX-MW**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420,with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72-MX-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72-V-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-420, with increments of 5W, 72 cells



**Product data – type JKMSxxxM-72-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-72-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMSxxxM-78HB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=405-435, with increments of 5W, 156 half-cut cells

**Product data – type JKMSxxxM-78HB-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-435, with increments of 5W, 156 half cut cells

**Product data – type JKMSxxxM-78H-MBB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=440-465, with increments of 5W, 156 half-cut cells

**Product data – type JKMSxxxM-78H-MBB-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=440-465, with increments of 5W, 156 half cut cells

**Product data – type JKMSxxxM-78H-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=405-465, with increments of 5W, 156 half-cut cells

**Product data – type JKMSxxxM-78H-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-465, with increments of 5W, 156 half cut cells

**Product data – type JKMSxxxM-78H-V-TI-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-465, with increments of 5W, 156 half cut cells

**Product data – type JKMSxxxM-7RL3-B-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

**Product data – type JKMSxxxM-7RL3-B-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-480, with increments of 5W, 156 half cut cells

**Product data – type JKMSxxxM-7RL3-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=430-495, with increments of 5W, 156 half-cut cells

**Product data – type JKMSxxxM-7RL3-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-495, with increments of 5W, 156 half cut cells

**Product data – type JKMSxxxN-60H-MBB-B-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=315-330, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxN-60H-MBB-B-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=315-330, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxN-60H-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxN-60H-MBB-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-350, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxN-6RL3-B-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-425, with increments of 5W, 132 half-cut cells

**Product data – type JKMSxxxN-6RL3-B-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-405, with increments of 5W, 132 half cut cells

**Product data – type JKMSxxxN-6RL3-TI**

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V  
Description : xxx=360-420, with increments of 5W, 132 half-cut cells

**Product data – type JKMSxxxN-6RL3-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-410, with increments of 5W, 132 half cut cells

**Product data – type JKMSxxxN-6TL3-B-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-385, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxN-6TL3-B-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-365, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxN-6TL3-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-390, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxN-6TL3-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-390, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxN-72H-MBB-B-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-003 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaying City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  *Solar*  
**Jinko**  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-004 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-004

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMSxxxN-72H-MBB-TI, JKMSxxxN-72H-MBB-V-TI, JKMSxxxN-7RL3-B-TI, JKMSxxxN-7RL3-B-V-TI, JKMSxxxN-7RL3-TI, JKMSxxxN-7RL3-V-TI, JKMSxxxP-60, JKMSxxxP-60(Plus), JKMSxxxP-60-J, JKMSxxxP-60-J4, JKMSxxxP-60-J4-J, JKMSxxxP-60-V, JKMSxxxP-60-V-J, JKMSxxxP-60B, JKMSxxxP-60B-J4, JKMSxxxP-60B-J4-J, JKMSxxxP-72, JKMSxxxP-72(Plus), JKMSxxxP-72-J, JKMSxxxP-72-J4, JKMSxxxP-72-J4-J, JKMSxxxP-72-V, JKMSxxxP-72B, JKMSxxxP-72B-J4, JKMSxxxPP-60, JKMSxxxPP-60(Plus), JKMSxxxPP-60(Plus)-J4, JKMSxxxPP-60(Plus)-MX, JKMSxxxPP-60(Plus)-MX-V, JKMSxxxPP-60B, JKMSxxxPP-60B-J4, JKMSxxxPP-60B-J4-J, JKMSxxxPP-60B-J4-MX, JKMSxxxPP-60B-J4-MX-V, JKMSxxxPP-60B-MX, JKMSxxxPP-60B-MX-V, JKMSxxxPP-60B-MX3, JKMSxxxPP-60B-V-MX3, JKMSxxxPP-60BL-MX3, JKMSxxxPP-60BL-V-MX3, JKMSxxxPP-60H-MX3, JKMSxxxPP-60H-V-MX3, JKMSxxxPP-60HB-MX3, JKMSxxxPP-60HB-V-MX3, JKMSxxxPP-60HBL-MX3, JKMSxxxPP-60HBL-V-MX3, JKMSxxxPP-60HL-MX3 and JKMSxxxPP-60HL-V-MX3

**Product data – type JKMSxxxN-72H-MBB-TI**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=385-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxN-72H-MBB-V-TI**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=385-425, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxN-7RL3-B-TI**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=425-480, with increments of 5W, 156 half-cut cells

**Product data – type JKMSxxxN-7RL3-B-V-TI**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=425-480, with increments of 5W, 156 half cut cells

**Product data – type JKMSxxxN-7RL3-TI**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=430-500, with increments of 5W, 156 half-cut cells



**Product data – type JKMSxxxN-7RL3-V-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-500, with increments of 5W, 156 half cut cells

**Product data – type JKMSxxxP-60**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-60(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-60B**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-60B-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-60B-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-60-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-60-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-60-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-60-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-60-V-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxP-72**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxP-72(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxP-72B**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxP-72B-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxP-72B-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxP-72-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxP-72-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxP-72-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxP-72-V**

Design : PV module with poly c-Si cells

Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxP-72-V-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-60**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60(Plus)-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60(Plus)-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60(Plus)-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60B**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60B-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60B-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60B-J4-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60B-J4-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60BL-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60BL-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60B-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60B-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60B-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60B-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60HBL-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxPP-60HBL-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxPP-60HB-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxPP-60HB-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxPP-60HL-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxPP-60HL-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxPP-60H-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**Product data – type JKMSxxxPP-60H-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-004 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  *Solar*  
**Jinko**  
*Building Your Trust in Solar*

Unique Identifier





# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-005 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-005

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMSxxxPP-60-J, JKMSxxxPP-60-J4, JKMSxxxPP-60-J4(Plus), JKMSxxxPP-60-J4-J, JKMSxxxPP-60-J4-MX, JKMSxxxPP-60-J4-MX-V, JKMSxxxPP-60-MX, JKMSxxxPP-60-MX-V, JKMSxxxPP-60-MX3, JKMSxxxPP-60-V, JKMSxxxPP-60-V-J, JKMSxxxPP-60-V-MX3, JKMSxxxPP-60-W, JKMSxxxPP-60-W-MX, JKMSxxxPP-60-W-MX-V, JKMSxxxPP-60L-MX3, JKMSxxxPP-60L-V-MX3, JKMSxxxPP-72, JKMSxxxPP-72(Plus), JKMSxxxPP-72(Plus)-J4, JKMSxxxPP-72(Plus)-MX, JKMSxxxPP-72(Plus)-MX-V, JKMSxxxPP-72-J, JKMSxxxPP-72-J4(Plus), JKMSxxxPP-72-J4-J, JKMSxxxPP-72-J4-MX, JKMSxxxPP-72-J4-MX-V, JKMSxxxPP-72-MX, JKMSxxxPP-72-MX-V, JKMSxxxPP-72-MX3, JKMSxxxPP-72B, JKMSxxxPP-72B-J4, JKMSxxxPP-72B-J4-J, JKMSxxxPP-72B-J4-MX, JKMSxxxPP-72B-J4-MX-V, JKMSxxxPP-72B-MX, JKMSxxxPP-72B-MX-V, JKMSxxxPP-72B-MX3, JKMSxxxPP-72B-V-MX3, JKMSxxxPP-72BL-MX3, JKMSxxxPP-72BL-V-MX3, JKMSxxxPP-72H-V-MX3, JKMSxxxPP-72HB-MX3, JKMSxxxPP-72HB-V-MX3, JKMSxxxPP-72HBL-MX3, JKMSxxxPP-72HBL-V-MX3, JKMSxxxPP-72HL-MX3, JKMSxxxPP-72HL-V-MX3, JKMSxxxPP-72L-MX3 and JKMSxxxPP-72L-V-MX3

**Product data – type JKMSxxxPP-60-J**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-J4**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-J4(Plus)**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-J4-J**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-J4-MX**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V

Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-J4-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60L-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60L-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-V-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-W**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-W-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-60-W-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMSxxxPP-72**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72(Plus)-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72(Plus)-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72(Plus)-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72B**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72B-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72B-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72B-J4-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72B-J4-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72BL-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72BL-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72B-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72B-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72B-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72B-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72HBL-MX3**

Design : PV module with poly c-Si cells

Maximum System voltage : 1000V  
Description : xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72HBL-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72HB-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72HB-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72HL-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72HL-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72H-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-J4(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-J4-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-J4-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72L-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72L-V-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-MX**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-MX3**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-005 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam



Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-006 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-006

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMSxxxM-72HL-V-MX3-Q, JKMSxxxPP-72-V, JKMSxxxPP-72-V-J, JKMSxxxPP-72-V-MX3, JKMSxxxPP-72-W, JKMSxxxPP-72-W-MX, JKMSxxxPP-72-W-MX-V, JKMxxxM-36H, JKMxxxM-54HL4, JKMxxxM-54HL4-B, JKMxxxM-54HL4-B-V, JKMxxxM-54HL4-TV, JKMxxxM-54HL4-V, JKMxxxM-5RL4, JKMxxxM-5RL4-B, JKMxxxM-5RL4-B-V, JKMxxxM-5RL4-TV, JKMxxxM-5RL4-V, JKMxxxM-60, JKMxxxM-60(Plus), JKMxxxM-60(Plus)-V, JKMxxxM-60B, JKMxxxM-60B-MW, JKMxxxM-60B-V, JKMxxxM-60BL, JKMxxxM-60BL-V, JKMxxxM-60H, JKMxxxM-60HB, JKMxxxM-60HB-V, JKMxxxM-60HBL, JKMxxxM-60HBL-Q, JKMxxxM-60HBL-V, JKMxxxM-60HL, JKMxxxM-60HL-Q, JKMxxxM-60HL-T, JKMxxxM-60HL-T-Q, JKMxxxM-60HL-TV, JKMxxxM-60HL-TV-Q, JKMxxxM-60HL-V, JKMxxxM-60HL-V-Q, JKMxxxM-60HL4, JKMxxxM-60HL4-B, JKMxxxM-60HL4-B-V, JKMxxxM-60HL4-TV, JKMxxxM-60HL4-V, JKMxxxM-60HLM, JKMxxxM-60HLM-B, JKMxxxM-60HLM-B-V, JKMxxxM-60HLM-TV and JKMxxxM-60HLM-V

**Product data – type JKMSxxxM-72HL-V-MX3-Q**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=335-395, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72-V**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-V-J**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-V-MX3**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-W**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-W-MX**

Design	: PV module with poly c-Si cells
--------	----------------------------------

Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMSxxxPP-72-W-MX-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxM-36H**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=195-205, with increments of 5W, 72 half-cut cells

**Product data – type JKMxxxM-54HL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-430, with increments of 5W, 108 half-cut cells

**Product data – type JKMxxxM-54HL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=380-425, with increments of 5W, 108 half-cut cells

**Product data – type JKMxxxM-54HL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=380-400, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxM-54HL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=345-410, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxM-54HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=345-430, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxM-5RL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-435, with increments of 5W, 108 half-cut cells

**Product data – type JKMxxxM-5RL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-430, with increments of 5W, 108 half-cut cells

**Product data – type JKMxxxM-5RL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=375-395, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxM-5RL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=345-405, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxM-5RL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=345-435, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxM-60**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60(Plus)**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60(Plus)-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60BL**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60BL-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60B-MW**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60H**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HBL**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HBL-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-375, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HBL-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-350, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HB-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-350, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HL**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=400-485, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HL4-B**

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V  
Description : xxx=425-445, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-445, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-455, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-485, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HLM**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=350-385, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HLM-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=350-370, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HLM-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=350-370, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HLM-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=355-380, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HLM-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-400, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HL-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells



**Product data – type JKMxxxM-60HL-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=315-355, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HL-T-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=315-335, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60HL-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=300-375, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HL-TV-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=315-355, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HL-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-350, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60HL-V-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-375, with increments of 5W, 120 half cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-006 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-007 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-007

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMxxxM-60-J, JKMxxxM-60-MW, JKMxxxM-60-V, JKMxxxM-60-V-J, JKMxxxM-60H-MBB, JKMxxxM-60H-MBB-T, JKMxxxM-60H-MBB-TV, JKMxxxM-60H-MBB-V, JKMxxxM-60H-T, JKMxxxM-60H-TV, JKMxxxM-60H-V, JKMxxxM-60L, JKMxxxM-60L-V, JKMxxxM-66H, JKMxxxM-66H-MBB, JKMxxxM-66H-MBB-V, JKMxxxM-66H-T, JKMxxxM-66H-TV, JKMxxxM-66H-TV-Q, JKMxxxM-66H-V, JKMxxxM-66H-V-Q, JKMxxxM-66HB, JKMxxxM-66HB-V, JKMxxxM-66HL4, JKMxxxM-66HL4-B, JKMxxxM-66HL4-B-V, JKMxxxM-66HL4-TV, JKMxxxM-66HL4-V, JKMxxxM-6RL3, JKMxxxM-6RL3-B, JKMxxxM-6RL3-B-V, JKMxxxM-6RL3-J, JKMxxxM-6RL3-T, JKMxxxM-6RL3-T-J, JKMxxxM-6RL3-TV, JKMxxxM-6RL3-TV-J, JKMxxxM-6RL3-V, JKMxxxM-6RL3-V-J, JKMxxxM-6RL4, JKMxxxM-6RL4-B, JKMxxxM-6RL4-B-V, JKMxxxM-6RL4-TV, JKMxxxM-6RL4-V, JKMxxxM-6TL3, JKMxxxM-6TL3-B, JKMxxxM-6TL3-B-V, JKMxxxM-6TL3-T, JKMxxxM-6TL3-TV, JKMxxxM-6TL3-V and JKMxxxM-6TL4

**Product data – type JKMxxxM-60H-MBB**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=320-355, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60H-MBB-T**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=320-335, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60H-MBB-TV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=320-360, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60H-MBB-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=320-365, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60H-T**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=315-355, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-60H-TV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=300-375, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60H-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-350, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-60-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60L**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60L-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60-MW**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMxxxM-60-V-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-350, with increments of 5W, 60 cells

**Product data – type JKMxxxM-66H**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=340-390, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-66HB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=340-365, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-66HB-V**

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V  
Description : xxx=340-365, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-66HL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=440-505, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-66HL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=465-490, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-66HL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=465-490, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-66HL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-505, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-66HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-505, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-66H-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=370-390, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-66H-MBB-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-390, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-66H-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=340-385, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-66H-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-385, with increments of 5W, 132 half cut cells



**Product data – type JKMxxxM-66H-TV-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-395, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-66H-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-390, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-66H-V-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-380, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-6RL3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-415, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-6RL3-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-405, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-6RL3-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-405, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-6RL3-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-415, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-6RL3-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=355-400, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-6RL3-T-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=355-400, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-6RL3-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=355-400, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-6RL3-TV-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=355-400, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-6RL3-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-415, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-6RL3-V-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-415, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-6RL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=455-495, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-6RL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=455-485, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxM-6RL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=455-485, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-6RL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-495, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-6RL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-495, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxM-6TL3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-380, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-6TL3-B**

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V  
Description : xxx=320-365, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-6TL3-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-365, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-6TL3-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=325-365, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-6TL3-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=325-365, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-6TL3-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-380, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-6TL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=415-450, with increments of 5W, 120 half-cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-007 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-008 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-008

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMxxxM-6TL4-B, JKMxxxM-6TL4-B-V, JKMxxxM-6TL4-TV, JKMxxxM-6TL4-V, JKMxxxM-72, JKMxxxM-72(Plus), JKMxxxM-72(Plus)-V, JKMxxxM-72-J, JKMxxxM-72-MW, JKMxxxM-72B, JKMxxxM-72B-MW, JKMxxxM-72B-V, JKMxxxM-72BL, JKMxxxM-72BL-V, JKMxxxM-72H, JKMxxxM-72H-MBB, JKMxxxM-72H-MBB-T, JKMxxxM-72H-MBB-TV, JKMxxxM-72H-MBB-V, JKMxxxM-72H-T, JKMxxxM-72H-TV, JKMxxxM-72H-V, JKMxxxM-72HB, JKMxxxM-72HB-V, JKMxxxM-72HBL, JKMxxxM-72HBL-Q, JKMxxxM-72HBL-V, JKMxxxM-72HL, JKMxxxM-72HL-Q, JKMxxxM-72HL-T, JKMxxxM-72HL-T-Q, JKMxxxM-72HL-TV, JKMxxxM-72HL-TV-Q, JKMxxxM-72HL-V, JKMxxxM-72HL4, JKMxxxM-72HL4-B, JKMxxxM-72HL4-B-V, JKMxxxM-72HL4-J, JKMxxxM-72HL4-TV, JKMxxxM-72HL4-TV-J, JKMxxxM-72HL4-V, JKMxxxM-72HL4-V-J, JKMxxxM-72HLM, JKMxxxM-72HLM-B, JKMxxxM-72HLM-B-V, JKMxxxM-72HLM-TV, JKMxxxM-72HLM-V, JKMxxxM-72L and JKMxxxM-72L-V

**Product data – type JKMxxxM-6TL4-B**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=415-440, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxM-6TL4-B-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=415-440, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-6TL4-TV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=385-450, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-6TL4-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=385-450, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxM-72**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72(Plus)**

Design	: PV module with mono c-Si cells
--------	----------------------------------



Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72(Plus)-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72BL**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72BL-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72B-MW**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72H**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HBL**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HBL-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-450, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HBL-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-450, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HB-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-450, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HL**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=475-585, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=515-535, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=510-535, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HL4-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=475-585, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=460-580, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HL4-TV-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=460-580, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=460-585, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HL4-V-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=460-585, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HLM**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=420-465, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HLM-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=415-445, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HLM-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=415-445, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HLM-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-460, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HLM-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=400-480, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HL-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HL-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HL-T-Q**

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V  
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72HL-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=375-455, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HL-TV-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=375-425, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HL-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-450, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72HL-V-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-450, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72H-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72H-MBB-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=385-405, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72H-MBB-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-435, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72H-MBB-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-425, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72H-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-72H-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=375-455, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72H-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-450, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-72-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72L**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72L-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72-MW**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-420, with increments of 5W, 72 cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-008 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  *Solar*  
**Jinko**  
*Building Your Trust in Solar*

Unique Identifier





# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-009 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-009

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMxxxM-72-V, JKMxxxM-72-V-J, JKMxxxM-78H, JKMxxxM-78H-MBB, JKMxxxM-78H-MBB-V, JKMxxxM-78H-T, JKMxxxM-78H-TV, JKMxxxM-78H-TV-Q, JKMxxxM-78H-V, JKMxxxM-78H-V-Q, JKMxxxM-78HB, JKMxxxM-78HB-V, JKMxxxM-78HL4-TV, JKMxxxM-78HL4-V, JKMxxxM-7RL3, JKMxxxM-7RL3-B, JKMxxxM-7RL3-B-V, JKMxxxM-7RL3-J, JKMxxxM-7RL3-T, JKMxxxM-7RL3-T-J, JKMxxxM-7RL3-TV, JKMxxxM-7RL3-TV-J, JKMxxxM-7RL3-V, JKMxxxM-7RL3-V-J, JKMxxxM-7RL4, JKMxxxM-7RL4-B, JKMxxxM-7RL4-B-V, JKMxxxM-7RL4-J, JKMxxxM-7RL4-TV, JKMxxxM-7RL4-TV-J, JKMxxxM-7RL4-V, JKMxxxM-7RL4-V-J, JKMxxxM-7TL4, JKMxxxM-7TL4-B, JKMxxxM-7TL4-B-V, JKMxxxM-7TL4-J, JKMxxxM-7TL4-TV, JKMxxxM-7TL4-TV-J, JKMxxxM-7TL4-V, JKMxxxM-7TL4-V-J, JKMxxxN-32H-MBB-B, JKMxxxN-32HL3-MBB-B, JKMxxxN-48H-MBB-B, JKMxxxN-48HL3-MBB-B, JKMxxxN-54HL4, JKMxxxN-54HL4-B, JKMxxxN-54HL4-B-V, JKMxxxN-54HL4-TV, JKMxxxN-54HL4-V and JKMxxxN-5RL4

**Product data – type JKMxxxM-72-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMxxxM-72-V-J**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=250-420, with increments of 5W, 72 cells

**Product data – type JKMxxxM-78H**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=405-465, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-78HB**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=405-435, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-78HB-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=405-435, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-78HL4-TV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V

Description : xxx=555-595, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-78HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=565-605, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-78H-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=440-465, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-78H-MBB-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=440-465, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-78H-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=405-455, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-78H-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-455, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-78H-TV-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-470, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-78H-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-465, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-78H-V-Q**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-465, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=430-495, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-7RL3-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-7RL3-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-480, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL3-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=430-495, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-7RL3-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=420-475, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-7RL3-T-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=420-475, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-7RL3-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=420-475, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL3-TV-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=420-475, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL3-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-495, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL3-V-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-495, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-7RL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=540-575, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-7RL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=540-575, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL4-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxM-7RL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=490-590, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL4-TV-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=490-590, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=500-590, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7RL4-V-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=500-590, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxM-7TL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=495-570, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-7TL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=495-530, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-7TL4-B-V**

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V  
Description : xxx=495-530, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-7TL4-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=495-570, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxM-7TL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=485-570, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-7TL4-TV-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=485-570, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-7TL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=495-570, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxM-7TL4-V-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=495-570, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-32HL3-MBB-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=180-195, with increments of 5W, 64 half-cut cells

**Product data – type JKMxxxN-32H-MBB-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=170-175, with increments of 5W, 64 half-cut cells

**Product data – type JKMxxxN-48HL3-MBB-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-295, with increments of 5W, 96 half-cut cells

**Product data – type JKMxxxN-48H-MBB-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=255-265, with increments of 5W, 96 half-cut cells

**Product data – type JKMxxxN-54HL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-455, with increments of 5W, 108 half-cut cells

**Product data – type JKMxxxN-54HL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=380-450, with increments of 5W, 108 half-cut cells

**Product data – type JKMxxxN-54HL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=380-400, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxN-54HL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-430, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxN-54HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=365-455, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxN-5RL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-460, with increments of 5W, 108 half-cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-009 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia




Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  *Solar*  
**Jinko**  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-010 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-010

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMxxxN-5RL4-B, JKMxxxN-5RL4-B-V, JKMxxxN-5RL4-TV, JKMxxxN-5RL4-V, JKMxxxN-60H-MBB, JKMxxxN-60H-MBB-B, JKMxxxN-60H-MBB-B-V, JKMxxxN-60H-MBB-T, JKMxxxN-60H-MBB-TV, JKMxxxN-60H-MBB-V, JKMxxxN-60H-T, JKMxxxN-60H-TV, JKMxxxN-60HL-T, JKMxxxN-60HL-TV, JKMxxxN-60HL3-MBB-B, JKMxxxN-60HL4, JKMxxxN-60HL4-B, JKMxxxN-60HL4-B-V, JKMxxxN-60HL4-TV, JKMxxxN-60HL4-V, JKMxxxN-66HL4, JKMxxxN-66HL4-B, JKMxxxN-66HL4-B-V, JKMxxxN-66HL4-TV, JKMxxxN-66HL4-V, JKMxxxN-66H -T, JKMxxxN-6RL3, JKMxxxN-6RL3-B, JKMxxxN-6RL3-B-V, JKMxxxN-6RL3-J, JKMxxxN-6RL3-T, JKMxxxN-6RL3-T-J, JKMxxxN-6RL3-TV, JKMxxxN-6RL3-TV-J, JKMxxxN-6RL3-V, JKMxxxN-6RL3-V-J, JKMxxxN-6RL4, JKMxxxN-6RL4-B, JKMxxxN-6RL4-B-V, JKMxxxN-6RL4-TV, JKMxxxN-6RL4-V, JKMxxxN-6TL3, JKMxxxN-6TL3-B, JKMxxxN-6TL3-B-V, JKMxxxN-6TL3-T, JKMxxxN-6TL3-TV, JKMxxxN-6TL3-V, JKMxxxN-6TL4, JKMxxxN-6TL4-B and JKMxxxN-6TL4-B-V

**Product data – type JKMxxxN-5RL4-B**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=375-455, with increments of 5W, 108 half-cut cells

**Product data – type JKMxxxN-5RL4-B-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=375-395, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxN-5RL4-TV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=350-415, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxN-5RL4-V**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=375-460, with increments of 5W, 108 half cut cells

**Product data – type JKMxxxN-60HL3-MBB-B**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=330-370, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-60HL4**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V

Description : xxx=405-510, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-60HL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=425-470, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-60HL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-445, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-60HL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=400-480, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-60HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-510, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-60HL-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=315-355, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-60HL-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=315-355, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-60H-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-60H-MBB-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=315-330, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-60H-MBB-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=315-330, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-60H-MBB-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=330-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-60H-MBB-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=330-370, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-60H-MBB-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-350, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-60H-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=315-355, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-60H-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=315-355, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-66H -T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=345-385, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-66HL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=445-525, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-66HL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=465-490, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-66HL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=465-490, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-66HL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=440-525, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-66HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-525, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-6RL3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-420, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-6RL3-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-425, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-6RL3-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-405, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-6RL3-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-420, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-6RL3-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-395, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-6RL3-T-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-395, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-6RL3-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=355-420, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-6RL3-TV-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=355-420, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-6RL3-V**

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V  
Description : xxx=360-420, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-6RL3-V-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-420, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-6RL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=455-495, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-6RL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=455-485, with increments of 5W, 132 half-cut cells

**Product data – type JKMxxxN-6RL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=455-485, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-6RL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-510, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-6RL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-510, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxN-6TL3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-390, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-6TL3-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-385, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-6TL3-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-365, with increments of 5W, 120 half cut cells



**Product data – type JKMxxxN-6TL3-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=325-365, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-6TL3-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=325-380, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-6TL3-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-390, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-6TL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=415-450, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-6TL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=415-440, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-6TL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=415-440, with increments of 5W, 120 half cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-010 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-011 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-011

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : JKMxxxN-6TL4-TV, JKMxxxN-6TL4-V, JKMxxxN-72H-MBB, JKMxxxN-72H-MBB-B, JKMxxxN-72H-MBB-B-V, JKMxxxN-72H-MBB-T, JKMxxxN-72H-MBB-TV, JKMxxxN-72H-MBB-V, JKMxxxN-72H-T, JKMxxxN-72H-TV, JKMxxxN-72HL-T, JKMxxxN-72HL-TV, JKMxxxN-72HL3-MBB-B, JKMxxxN-72HL4, JKMxxxN-72HL4-B, JKMxxxN-72HL4-B-V, JKMxxxN-72HL4-TV, JKMxxxN-72HL4-V, JKMxxxN-78H-T, JKMxxxN-78H-TV, JKMxxxN-7RL3, JKMxxxN-7RL3-B, JKMxxxN-7RL3-B-V, JKMxxxN-7RL3-J, JKMxxxN-7RL3-T, JKMxxxN-7RL3-T-J, JKMxxxN-7RL3-TV, JKMxxxN-7RL3-TV-J, JKMxxxN-7RL3-V, JKMxxxN-7RL3-V-J, JKMxxxN-7RL4, JKMxxxN-7RL4-B, JKMxxxN-7RL4-B-V, JKMxxxN-7RL4-TV, JKMxxxN-7RL4-V, JKMxxxN-7TL4, JKMxxxN-7TL4-B, JKMxxxN-7TL4-B-V, JKMxxxN-7TL4-TV, JKMxxxN-7TL4-V, JKMxxxP-60, JKMxxxP-60(Plus), JKMxxxP-60-J, JKMxxxP-60-J4, JKMxxxP-60-J4-J, JKMxxxP-60-V, JKMxxxP-60-V-J, JKMxxxP-60B, JKMxxxP-60B-J4 and JKMxxxP-60L

**Product data – type JKMxxxN-6TL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-465, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-6TL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-465, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxN-72HL3-MBB-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=400-445, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72HL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=485-615, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72HL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=510-535, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72HL4-B-V**

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V  
Description : xxx=510-535, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-72HL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=485-605, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-72HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=480-615, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-72HL-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72HL-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=375-455, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-72H-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72H-MBB-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72H-MBB-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=380-400, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-72H-MBB-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=390-420, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72H-MBB-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=390-445, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-72H-MBB-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-425, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-72H-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72H-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=375-455, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-78H-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=410-460, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxN-78H-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=410-460, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxN-7RL3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=430-500, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxN-7RL3-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxN-7RL3-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-480, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxN-7RL3-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=430-490, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxN-7RL3-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=425-470, with increments of 5W, 156 half-cut cells



**Product data – type JKMxxxN-7RL3-T-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=425-470, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxN-7RL3-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-500, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxN-7RL3-TV-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-500, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxN-7RL3-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-500, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxN-7RL3-V-J**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-500, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxN-7RL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxN-7RL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=540-575, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxN-7RL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=540-575, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxN-7RL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=500-605, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxN-7RL4-V**

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V  
Description : xxx=500-605, with increments of 5W, 156 half cut cells

**Product data – type JKMxxxN-7TL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=495-600, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-7TL4-B**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=495-530, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-7TL4-B-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=495-530, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-7TL4-TV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=480-590, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxN-7TL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=495-600, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxP-60**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxP-60(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxP-60B**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxP-60B-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxP-60-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxP-60-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxP-60-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxP-60L**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=215-275, with increments of 5W, 60 cells

**Product data – type JKMxxxP-60-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxP-60-V-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-011 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-012 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-012

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMxxxP-72, JKMxxxP-72(Plus), JKMxxxP-72-J, JKMxxxP-72-J4, JKMxxxP-72-J4-J, JKMxxxP-72-V, JKMxxxP-72-V-J, JKMxxxP-72B, JKMxxxP-72B-J4, JKMxxxP-72B-J4-J, JKMxxxP-72L, JKMxxxPP-60, JKMxxxPP-60(Plus), JKMxxxPP-60(Plus)-J4, JKMxxxPP-60(Plus)-V, JKMxxxPP-60-J, JKMxxxPP-60-J4(Plus), JKMxxxPP-60-J4-J, JKMxxxPP-60-J4V, JKMxxxPP-60-V, JKMxxxPP-60-V-J, JKMxxxPP-60-W, JKMxxxPP-60B, JKMxxxPP-60B-J4, JKMxxxPP-60B-J4-J, JKMxxxPP-60B-V, JKMxxxPP-60H, JKMxxxPP-60H-J4, JKMxxxPP-60H-J4V, JKMxxxPP-60H-V, JKMxxxPP-60HB, JKMxxxPP-60HB-V, JKMxxxPP-72, JKMxxxPP-72(Plus), JKMxxxPP-72(Plus)-J4, JKMxxxPP-72(Plus)-V, JKMxxxPP-72-J, JKMxxxPP-72-J4, JKMxxxPP-72-J4(Plus), JKMxxxPP-72-J4-J, JKMxxxPP-72B, JKMxxxPP-72B-J4, JKMxxxPP-72B-J4-J, JKMxxxPP-72B-V, JKMxxxPP-72H, JKMxxxPP-72H-J4, JKMxxxPP-72H-J4V, JKMxxxPP-72H-V, JKMxxxPP-72HB and JKMxxxPP-72HB-V

**Product data – type JKMxxxP-72**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72(Plus)**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72B**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72B-J4**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72B-J4-J**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72-J**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V



Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72L**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=255-330, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxP-72-V-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-60**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60(Plus)-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60(Plus)-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60B**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60B-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60B-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60B-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=260-290, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60H**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxPP-60HB**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=260-315, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxPP-60HB-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxPP-60H-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxPP-60H-J4V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxPP-60H-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 120 half cut cells

**Product data – type JKMxxxPP-60-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60-J4(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60-J4V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60-V-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-60-W**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-72**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72(Plus)-J4**

Design : PV module with poly c-Si cells

Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72(Plus)-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72B**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72B-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72B-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72B-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-355, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72H**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxPP-72HB**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxPP-72HB-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxPP-72H-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxPP-72H-J4V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxPP-72H-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 144 half cut cells

**Product data – type JKMxxxPP-72-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72-J4**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72-J4(Plus)**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72-J4-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=250-390, with increments of 5W, 72 cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-012 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier





# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-013 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-013

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMSxxxM-72HBL-MX3, JKMSxxxPP-72-J4, JKMSxxxPP-72H-MX3, JKMxxxM-66H-TV, JKMxxxP-60B-J4-J, JKMxxxPP-60-J4, JKMxxxPP-72-J4V, JKMxxxPP-72-V, JKMxxxPP-72-V-J, JKMxxxPP-72-W, JKSM3-CACA-xxx, JKSM3-CCCA-xxx, JKSM3-CFCA-xxx, JKSM3-CHCA-xxx, JKSM3-DACA-xxx, JKSM3-DCCA-xxx, JKSM3-DFCA-xxx, JKSM3-DHCA-xxx, JKSN3-CCCA-xxx, JKSN3-CHCA-xxx, JKSN3-DCCA-xxx, JKSN3-DHCA-xxx, JKxxxM-66H5-BTV, JKxxxM-66H5-MW, JKxxxM-66H5-MWV, JKxxxM-66R5-BTV, JKxxxM-66R5-MW, JKxxxM-66R5-MWV, MMxxx-54HLD-MB, MMxxx-54HLD-MBV, MMxxx-54HLD-MB, MMxxx-54HLD-MBV, MMxxx-60HLA-AB, MMxxx-60HLA-ABV, MMxxx-60HLA-BB, MMxxx-60HLA-BBV, MMxxx-60HLA-BBV-MBB, MMxxx-60HLA-MB, MMxxx-60HLA-MB-MBB, MMxxx-60HLA-MBV, MMxxx-60HLA-MBV-MBB, MMxxx-60HLD-MB, MMxxx-60HLD-MBV and MMxxx-60HLM-MB

**Product data – type JKMSxxxM-72HBL-MX3**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=335-395, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72H-MX3**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=330-380, with increments of 5W, 144 half cut cells

**Product data – type JKMSxxxPP-72-J4**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxM-66H-TV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=345-385, with increments of 5W, 132 half cut cells

**Product data – type JKMxxxP-60B-J4-J**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=210-325, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-60-J4**

Design	: PV module with poly c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=210-325, with increments of 5W, 60 cells

**Product data – type JKMxxxPP-72-J4V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72-V**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72-V-J**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=250-390, with increments of 5W, 72 cells

**Product data – type JKMxxxPP-72-W**

Design : PV module with poly c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=635-670, with increments of 5W, 72 cells

**Product data – type JKSM3-CACA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-390, with increments of 5W, 132 half cut cells

**Product data – type JKSM3-CCCA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-405, with increments of 5W, 132 half cut cells

**Product data – type JKSM3-CFCA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-370, with increments of 5W, 132 half-cut cells

**Product data – type JKSM3-CHCA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=340-380, with increments of 5W, 132 half-cut cells

**Product data – type JKSM3-DACA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=400-465, with increments of 5W, 156 half cut cells

**Product data – type JKSM3-DCCA-xxx**

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V  
Description : xxx=400-480, with increments of 5W, 156 half cut cells

**Product data – type JKSM3-DFCA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=400-440, with increments of 5W, 156 half-cut cells

**Product data – type JKSM3-DHCA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=400-450, with increments of 5W, 156 half-cut cells

**Product data – type JKSN3-CCCA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=345-390, with increments of 5W, 132 half cut cells

**Product data – type JKSN3-CHCA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=345-370, with increments of 5W, 132 half-cut cells

**Product data – type JKSN3-DCCA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=410-460, with increments of 5W, 156 half cut cells

**Product data – type JKSN3-DHCA-xxx**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=410-440, with increments of 5W, 156 half-cut cells

**Product data – type JKxxxM-66H5-BTV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=635-665, with increments of 5W, 132 half cut cells

**Product data – type JKxxxM-66H5-MW**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=635-670, with increments of 5W, 132 half-cut cells

**Product data – type JKxxxM-66H5-MWV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=635-670, with increments of 5W, 132 half cut cells

**Product data – type JKxxxM-66R5-BTV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=630-660, with increments of 5W, 132 half cut cells

**Product data – type JKxxxM-66R5-MW**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=630-665, with increments of 5W, 132 half-cut cells

**Product data – type JKxxxM-66R5-MWV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=630-665, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-54HLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-420, with increments of 5W, 108 half-cut cells

**Product data – type MMxxx-54HLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-420, with increments of 5W, 108 half cut cells

**Product data – type MMxxx-5RLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-405, with increments of 5W, 108 half-cut cells

**Product data – type MMxxx-5RLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=375-405, with increments of 5W, 108 half cut cells

**Product data – type MMxxx-60HLA-AB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type MMxxx-60HLA-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-350, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-60HLA-BB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=315-355, with increments of 5W, 120 half-cut cells

**Product data – type MMxxx-60HLA-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=315-335, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-60HLA-BBV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-335, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-60HLA-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type MMxxx-60HLA-MB-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 120 half-cut cells

**Product data – type MMxxx-60HLA-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-350, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-60HLA-MBV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-355, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-60HLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=400-470, with increments of 5W, 120 half-cut cells

**Product data – type MMxxx-60HLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=400-470, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-60HLM-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=350-385, with increments of 5W, 120 half-cut cells

## TESTS

### Test requirements

IEC TS 62804-1:2015

### Test result

The test results are laid down in DEKRA test file 616159200.

### Additional information

This certificate replaces certificate No. 31-90007-013 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

### Conclusion

The examination proved that all requirements were met.

### Factory locations

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaying City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam



Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-014 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-014

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: MMxxx-60HLM-MBV, MMxxx-60LA-AB, MMxxx-60LA-ABV, MMxxx-60LA-MB, MMxxx-60LA-MBV, MMxxx-66HLA-AB, MMxxx-66HLA-ABV, MMxxx-66HLA-BBV, MMxxx-66HLA-MB, MMxxx-66HLA-MB-MBB, MMxxx-66HLA-MBV, MMxxx-66HLA-MBV-MBB, MMxxx-66HLD-MB, MMxxx-66HLD-MBV, MMxxx-6RLC-AB, MMxxx-6RLC-ABV, MMxxx-6RLC-BBV, MMxxx-6RLC-MB, MMxxx-6RLC-MBV, MMxxx-6RLD-MB, MMxxx-6RLD-MBV, MMxxx-6TLC-AB, MMxxx-6TLC-ABV, MMxxx-6TLC-BBV, MMxxx-6TLC-MB, MMxxx-6TLC-MBV, MMxxx-6TLD-MB, MMxxx-6TLD-MBV, MMxxx-72HLA-AB, MMxxx-72HLA-ABV, MMxxx-72HLA-BB, MMxxx-72HLA-BBV, MMxxx-72HLA-BBV-MBB, MMxxx-72HLA-MB, MMxxx-72HLA-MB-MBB, MMxxx-72HLA-MBV, MMxxx-72HLA-MBV-MBB, MMxxx-72HLD-MB, MMxxx-72HLD-MBV, MMxxx-72HLM-MB, MMxxx-72HLM-MBV, MMxxx-72LA-AB, MMxxx-72LA-ABV, MMxxx-72LA-MB, MMxxx-72LA-MBV, MMxxx-78HLA-AB, MMxxx-78HLA-ABV, MMxxx-78HLA-BBV, MMxxx-78HLA-MB and MMxxx-78HLA-MB-MBB

**Product data – type MMxxx-60HLM-MBV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=350-385, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-60LA-AB**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=270-340, with increments of 5W, 60 cells

**Product data – type MMxxx-60LA-ABV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=270-340, with increments of 5W, 60 cells

**Product data – type MMxxx-60LA-MB**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=270-340, with increments of 5W, 60 cells

**Product data – type MMxxx-60LA-MBV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=270-340, with increments of 5W, 60 cells

**Product data – type MMxxx-66HLA-AB**

Design	: PV module with mono c-Si cells
--------	----------------------------------

Maximum System voltage : 1000V  
Description : xxx=340-365, with increments of 5W, 132 half-cut cells

**Product data – type MMxxx-66HLA-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-365, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-66HLA-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-385, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-66HLA-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=340-390, with increments of 5W, 132 half-cut cells

**Product data – type MMxxx-66HLA-MB-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=370-390, with increments of 5W, 132 half-cut cells

**Product data – type MMxxx-66HLA-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-390, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-66HLA-MBV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=370-390, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-66HLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=440-505, with increments of 5W, 132 half-cut cells

**Product data – type MMxxx-66HLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=440-505, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-6RLC-AB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-405,, with increments of 5W, 132 half-cut cells

**Product data – type MMxxx-6RLC-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-405, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-6RLC-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=355-400, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-6RLC-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-400, with increments of 5W, 132 half-cut cells

**Product data – type MMxxx-6RLC-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-400, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-6RLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=455-495, with increments of 5W, 132 half-cut cells

**Product data – type MMxxx-6RLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=455-495, with increments of 5W, 132 half cut cells

**Product data – type MMxxx-6TLC-AB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-365, with increments of 5W, 120 half-cut cells

**Product data – type MMxxx-6TLC-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-365, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-6TLC-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=325-365, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-6TLC-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-365, with increments of 5W, 120 half-cut cells

**Product data – type MMxxx-6TLC-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-365, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-6TLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=415-450, with increments of 5W, 120 half-cut cells

**Product data – type MMxxx-6TLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=415-450, with increments of 5W, 120 half cut cells

**Product data – type MMxxx-72HLA-AB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type MMxxx-72HLA-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-425, with increments of 5W, 144 half cut cells

**Product data – type MMxxx-72HLA-BB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

**Product data – type MMxxx-72HLA-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=375-425, with increments of 5W, 144 half cut cells

**Product data – type MMxxx-72HLA-BBV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-405, with increments of 5W, 144 half cut cells

**Product data – type MMxxx-72HLA-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type MMxxx-72HLA-MB-MBB**

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V  
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

**Product data – type MMxxx-72HLA-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-425, with increments of 5W, 144 half cut cells

**Product data – type MMxxx-72HLA-MBV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-425, with increments of 5W, 144 half cut cells

**Product data – type MMxxx-72HLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=475-570, with increments of 5W, 144 half-cut cells

**Product data – type MMxxx-72HLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=475-570, with increments of 5W, 144 half cut cells

**Product data – type MMxxx-72HLM-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=420-465, with increments of 5W, 144 half-cut cells

**Product data – type MMxxx-72HLM-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=420-465, with increments of 5W, 144 half cut cells

**Product data – type MMxxx-72LA-AB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type MMxxx-72LA-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type MMxxx-72LA-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type MMxxx-72LA-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type MMxxx-78HLA-AB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=405-435, with increments of 5W, 156 half-cut cells

**Product data – type MMxxx-78HLA-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-435, with increments of 5W, 156 half cut cells

**Product data – type MMxxx-78HLA-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-455, with increments of 5W, 156 half cut cells

**Product data – type MMxxx-78HLA-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=405-465, with increments of 5W, 156 half-cut cells

**Product data – type MMxxx-78HLA-MB-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=440-465, with increments of 5W, 156 half-cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-014 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.



**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-015 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-015

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: MMxxx-78HLA-MBV, MMxxx-78HLA-MBV-MBB, MMxxx-78HLD-MBV, MMxxx-7RLC-AB, MMxxx-7RLC-ABV, MMxxx-7RLC-BBV, MMxxx-7RLC-MB, MMxxx-7RLC-MBV, MMxxx-7RLD-MB, MMxxx-7RLD-MBV, MMxxx-7TLD-MB, MMxxx-7TLD-MBV, MNxxx-54HLD-BBV, MNxxx-54HLD-MB, MNxxx-54HLD-MBV, MNxxx-5RLD-BBV, MNxxx-5RLD-MB, MNxxx-5RLD-MBV, MNxxx-60HLA-AB-MBB, MNxxx-60HLA-ABV-MBB, MNxxx-60HLA-BBV-MBB, MNxxx-60HLA-MB-MBB, MNxxx-60HLA-MBV-MBB, MNxxx-60HLD-BBV, MNxxx-60HLD-MB, MNxxx-60HLD-MBV, MNxxx-66HLD-BBV, MNxxx-66HLD-MB, MNxxx-66HLD-MBV, MNxxx-6RLC-AB, MNxxx-6RLC-ABV, MNxxx-6RLC-BBV, MNxxx-6RLC-MB, MNxxx-6RLC-MBV, MNxxx-6RLD-BBV, MNxxx-6RLD-MB, MNxxx-6RLD-MBV, MNxxx-6TLC-AB, MNxxx-6TLC-ABV, MNxxx-6TLC-BBV, MNxxx-6TLC-MB, MNxxx-6TLC-MBV, MNxxx-6TLD-BBV, MNxxx-6TLD-MB, MNxxx-6TLD-MBV, MNxxx-72HLA-AB-MBB, MNxxx-72HLA-ABV-MBB, MNxxx-72HLA-BBV-MBB, MNxxx-72HLA-MB-MBB and SMMxxx-78HLA-MBV-TI

**Product data – type MMxxx-78HLA-MBV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=405-465, with increments of 5W, 156 half cut cells

**Product data – type MMxxx-78HLA-MBV-MBB**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=440-465, with increments of 5W, 156 half cut cells

**Product data – type MMxxx-78HLD-MBV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=565-605, with increments of 5W, 156 half cut cells

**Product data – type MMxxx-7RLC-AB**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=425-480, with increments of 5W, 156 half-cut cells

**Product data – type MMxxx-7RLC-ABV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=425-480, with increments of 5W, 156 half cut cells

**Product data – type MMxxx-7RLC-BBV**

Design	: PV module with mono c-Si cells
--------	----------------------------------

Maximum System voltage : 1500V  
Description : xxx=420-475, with increments of 5W, 156 half cut cells

**Product data – type MMxxx-7RLC-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=430-475, with increments of 5W, 156 half-cut cells

**Product data – type MMxxx-7RLC-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-475, with increments of 5W, 156 half cut cells

**Product data – type MMxxx-7RLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

**Product data – type MMxxx-7RLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=535-590, with increments of 5W, 156 half cut cells

**Product data – type MMxxx-7TLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=495-540, with increments of 5W, 144 half-cut cells

**Product data – type MMxxx-7TLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=495-540, with increments of 5W, 144 half cut cells

**Product data – type MNxxx-54HLD-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=380-405, with increments of 5W, 108 half cut cells

**Product data – type MNxxx-54HLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=365-415, with increments of 5W, 108 half-cut cells

**Product data – type MNxxx-54HLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=365-415, with increments of 5W, 108 half cut cells

**Product data – type MNxxx-5RLD-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=365-405, with increments of 5W, 108 half cut cells

**Product data – type MNxxx-5RLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=375-405, with increments of 5W, 108 half-cut cells

**Product data – type MNxxx-5RLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=375-405, with increments of 5W, 108 half cut cells

**Product data – type MNxxx-60HLA-AB-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=315-330, with increments of 5W, 120 half-cut cells

**Product data – type MNxxx-60HLA-ABV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=315-330, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-60HLA-BBV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=330-350, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-60HLA-MB-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

**Product data – type MNxxx-60HLA-MBV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-350, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-60HLD-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=400-450, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-60HLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=405-460, with increments of 5W, 120 half-cut cells

**Product data – type MNxxx-60HLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-460, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-66HLD-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=440-495, with increments of 5W, 132 half cut cells

**Product data – type MNxxx-66HLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=445-505, with increments of 5W, 132 half-cut cells

**Product data – type MNxxx-66HLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=445-505, with increments of 5W, 132 half cut cells

**Product data – type MNxxx-6RLC-AB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-405, with increments of 5W, 132 half-cut cells

**Product data – type MNxxx-6RLC-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-405, with increments of 5W, 132 half cut cells

**Product data – type MNxxx-6RLC-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=355-400, with increments of 5W, 132 half cut cells

**Product data – type MNxxx-6RLC-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-410, with increments of 5W, 132 half-cut cells

**Product data – type MNxxx-6RLC-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-400, with increments of 5W, 132 half cut cells

**Product data – type MNxxx-6RLD-BBV**

Design : PV module with mono c-Si cells



Maximum System voltage : 1500V  
Description : xxx=440-495, with increments of 5W, 132 half cut cells

**Product data – type MNxxx-6RLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=455-495, with increments of 5W, 132 half-cut cells

**Product data – type MNxxx-6RLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=455-495, with increments of 5W, 132 half cut cells

**Product data – type MNxxx-6TLC-AB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

**Product data – type MNxxx-6TLC-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-365, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-6TLC-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=325-365, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-6TLC-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-375, with increments of 5W, 120 half-cut cells

**Product data – type MNxxx-6TLC-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-365, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-6TLD-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=400-450, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-6TLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=415-450, with increments of 5W, 120 half-cut cells

**Product data – type MNxxx-6TLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=415-450, with increments of 5W, 120 half cut cells

**Product data – type MNxxx-72HLA-AB-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

**Product data – type MNxxx-72HLA-ABV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=380-400, with increments of 5W, 144 half cut cells

**Product data – type MNxxx-72HLA-BBV-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=390-420, with increments of 5W, 144 half cut cells

**Product data – type MNxxx-72HLA-MB-MBB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

**Product data – type SMMxxx-78HLA-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-465, with increments of 5W, 156 half cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-015 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-016 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-016

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: MNxxx-72HLA-MBV-MBB, MNxxx-72HLD-BBV, MNxxx-72HLD-MB, MNxxx-72HLD-MBV, MNxxx-7RLC-AB, MNxxx-7RLC-ABV, MNxxx-7RLC-BBV, MNxxx-7RLC-MB, MNxxx-7RLC-MBV, MNxxx-7RLD-BBV, MNxxx-7RLD-MB, MNxxx-7RLD-MBV, MNxxx-7TLD-BBV, MNxxx-7TLD-M, MNxxx-7TLD-MBV, SMMxxx-60HLA-AB-MX3, SMMxxx-60HLA-AB-TI, SMMxxx-60HLA-ABV-MX3, SMMxxx-60HLA-ABV-TI, SMMxxx-60HLA-MB-MBB-TI, SMMxxx-60HLA-MB-MX3, SMMxxx-60HLA-MB-TI, SMMxxx-60HLA-MBV-MBB-TI, SMMxxx-60HLA-MBV-MX3, SMMxxx-60HLA-MBV-TI, SMMxxx-60LA-AB-MX3, SMMxxx-60LA-AB-TI, SMMxxx-60LA-ABV-MX3, SMMxxx-60LA-ABV-TI, SMMxxx-60LA-MB-MX3, SMMxxx-60LA-MB-TI, SMMxxx-60LA-MBV-MX3, SMMxxx-60LA-MBV-TI, SMMxxx-66HLA-AB-TI, SMMxxx-66HLA-ABV-TI, SMMxxx-66HLA-MB-TI, SMMxxx-66HLA-MBV-TI, SMMxxx-6RLC-AB-TI, SMMxxx-6RLC-ABV-TI, SMMxxx-6RLC-MB-TI, SMMxxx-6RLC-MBV-TI, SMMxxx-6TLC-AB-TI, SMMxxx-6TLC-ABV-TI, SMMxxx-6TLC-MB-TI, SMMxxx-6TLC-MBV-TI and SMMxxx-72HLA-AB-MX3

**Product data – type MNxxx-72HLA-MBV-MBB**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=385-425, with increments of 5W, 144 half cut cells

**Product data – type MNxxx-72HLD-BBV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=480-545, with increments of 5W, 144 half cut cells

**Product data – type MNxxx-72HLD-MB**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=485-555, with increments of 5W, 144 half-cut cells

**Product data – type MNxxx-72HLD-MBV**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=485-555, with increments of 5W, 144 half cut cells

**Product data – type MNxxx-7RLC-AB**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=425-480, with increments of 5W, 156 half-cut cells

**Product data – type MNxxx-7RLC-ABV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-480, with increments of 5W, 156 half cut cells

**Product data – type MNxxx-7RLC-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-475, with increments of 5W, 156 half cut cells

**Product data – type MNxxx-7RLC-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=430-490, with increments of 5W, 156 half-cut cells

**Product data – type MNxxx-7RLC-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-475, with increments of 5W, 156 half cut cells

**Product data – type MNxxx-7RLD-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=520-585, with increments of 5W, 156 half cut cells

**Product data – type MNxxx-7RLD-MB**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

**Product data – type MNxxx-7RLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=535-590, with increments of 5W, 156 half cut cells

**Product data – type MNxxx-7TLD-BBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=480-540, with increments of 5W, 144 half cut cells

**Product data – type MNxxx-7TLD-M**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=495-540, with increments of 5W, 144 half-cut cells

**Product data – type MNxxx-7TLD-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=495-540, with increments of 5W, 144 half cut cells



**Product data – type SMMxxx-60HLA-AB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

**Product data – type SMMxxx-60HLA-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type SMMxxx-60HLA-ABV-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 120 half cut cells

**Product data – type SMMxxx-60HLA-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-350, with increments of 5W, 120 half cut cells

**Product data – type SMMxxx-60HLA-MB-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-355, with increments of 5W, 120 half-cut cells

**Product data – type SMMxxx-60HLA-MB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

**Product data – type SMMxxx-60HLA-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type SMMxxx-60HLA-MBV-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-355, with increments of 5W, 120 half cut cells

**Product data – type SMMxxx-60HLA-MBV-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 120 half cut cells

**Product data – type SMMxxx-60HLA-MBV-TI**

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V  
Description : xxx=270-350, with increments of 5W, 120 half cut cells

**Product data – type SMMxxx-60LA-AB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type SMMxxx-60LA-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type SMMxxx-60LA-ABV-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type SMMxxx-60LA-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type SMMxxx-60LA-MB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type SMMxxx-60LA-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type SMMxxx-60LA-MBV-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type SMMxxx-60LA-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=270-340, with increments of 5W, 60 cells

**Product data – type SMMxxx-66HLA-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=340-365, with increments of 5W, 132 half-cut cells

**Product data – type SMMxxx-66HLA-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-365, with increments of 5W, 132 half cut cells

**Product data – type SMMxxx-66HLA-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=340-390, with increments of 5W, 132 half-cut cells

**Product data – type SMMxxx-66HLA-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=340-390, with increments of 5W, 132 half cut cells

**Product data – type SMMxxx-6RLC-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-405,, with increments of 5W, 132 half-cut cells

**Product data – type SMMxxx-6RLC-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-405, with increments of 5W, 132 half cut cells

**Product data – type SMMxxx-6RLC-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-400, with increments of 5W, 132 half-cut cells

**Product data – type SMMxxx-6RLC-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-400, with increments of 5W, 132 half cut cells

**Product data – type SMMxxx-6TLC-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-365, with increments of 5W, 120 half-cut cells

**Product data – type SMMxxx-6TLC-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-365, with increments of 5W, 120 half cut cells

**Product data – type SMMxxx-6TLC-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-365, with increments of 5W, 120 half-cut cells

**Product data – type SMMxxx-6TLC-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-365, with increments of 5W, 120 half cut cells

**Product data – type SMMxxx-72HLA-AB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-016 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia


Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1, South of Development Road, West of Jinko Redouble Increasing  
Area, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam

Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-017 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-017

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMSxxxM-6RL3-B-MX3, JKMSxxxM-6RL3-MX3, JKMSxxxM-6RL3-V-MX3, JKMSxxxM-6TL3-V-MX3, JKMSxxxN-6RL3-B-MX3, JKMSxxxN-6RL3-MX3, JKMSxxxN-6RL3-V-MX3, JKMSxxxN-6TL3-B-MX3, JKMSxxxN-6TL3-MX3, JKMSxxxN-6TL3-V-MX3, JKMxxxN-78HL4, JKMxxxN-78HL4-V, SMMxxx-72HLA-AB-TI, SMMxxx-72HLA-ABV-MX3, SMMxxx-72HLA-ABV-TI, SMMxxx-72HLA-MB-MBB-TI, SMMxxx-72HLA-MB-MX3, SMMxxx-72HLA-MB-TI, SMMxxx-72HLA-MBV-MBB-TI, SMMxxx-72HLA-MBV-MX3, SMMxxx-72HLA-MBV-TI, SMMxxx-72LA-AB-MX3, SMMxxx-72LA-AB-TI, SMMxxx-72LA-ABV-MX3, SMMxxx-72LA-ABV-TI, SMMxxx-72LA-MB-MX3, SMMxxx-72LA-MB-TI, SMMxxx-72LA-MBV, SMMxxx-72LA-MBV-MX3, SMMxxx-72LA-MBV-TI, SMMxxx-78HLA-AB-TI, SMMxxx-78HLA-ABV-TI, SMMxxx-78HLA-MB-TI, SMMxxx-7RLC-AB-TI, SMMxxx-7RLC-ABV-TI, SMMxxx-7RLC-MB-TI, SMMxxx-7RLC-MBV-TI, SMNxxx-60HLA-AB-MBB-TI, SMNxxx-60HLA-ABV-MBB-TI, SMNxxx-60HLA-MB-MBB-TI, SMNxxx-60HLA-MBV-MBB-TI, SMNxxx-6RLC-AB-TI, SMNxxx-6RLC-ABV-TI, SMNxxx-6RLC-MB-T, SMNxxx-6RLC-MBV-TI, SMNxxx-6TLC-AB-TI, SMNxxx-6TLC-ABV-TI, SMNxxx-6TLC-MB-TI, SMNxxx-6TLC-MBV-TI, SMNxxx-72HLA-AB-MBB-TI, SMNxxx-72HLA-ABV-MBB-TI, SMNxxx-72HLA-MB-MBB-TI, SMNxxx-72HLA-MBV-MBB-TI, SMNxxx-7RLC-AB-TI, SMNxxx-7RLC-ABV-TI, SMNxxx-7RLC-MB-TI and SMNxxx-7RLC-MBV-TI

**Product data – type JKMSxxxM-6RL3-B-MX3**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=360-405, with increments of 5W, 132 cells

**Product data – type JKMSxxxM-6RL3-MX3**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1000V
Description	: xxx=360-415, with increments of 5W, 132 cells

**Product data – type JKMSxxxM-6RL3-V-MX3**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=360-415, with increments of 5W, 132 cells

**Product data – type JKMSxxxM-6TL3-V-MX3**

Design	: PV module with mono c-Si cells
Maximum System voltage	: 1500V
Description	: xxx=335-380, with increments of 5W, 120 cells



**Product data – type JKMSxxxN-6RL3-B-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-425, with increments of 5W, 132 cells

**Product data – type JKMSxxxN-6RL3-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-420, with increments of 5W, 132 cells

**Product data – type JKMSxxxN-6RL3-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-410, with increments of 5W, 132 cells

**Product data – type JKMSxxxN-6TL3-B-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-385, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxN-6TL3-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-390, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxN-6TL3-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-390, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-78HL4**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=570-650, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxN-78HL4-V**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=570-650, with increment of 5W, 156 half-cut cells

**Product data – type SMMxxx-72HLA-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type SMMxxx-72HLA-ABV-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V

Description : xxx=335-395, with increments of 5W, 144 half cut cells

**Product data – type SMMxxx-72HLA-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-425, with increments of 5W, 144 half cut cells

**Product data – type SMMxxx-72HLA-MB-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

**Product data – type SMMxxx-72HLA-MB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

**Product data – type SMMxxx-72HLA-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

**Product data – type SMMxxx-72HLA-MBV-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-425, with increments of 5W, 144 half cut cells

**Product data – type SMMxxx-72HLA-MBV-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 144 half cut cells

**Product data – type SMMxxx-72HLA-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-425, with increments of 5W, 144 half cut cells

**Product data – type SMMxxx-72LA-AB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type SMMxxx-72LA-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type SMMxxx-72LA-ABV-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type SMMxxx-72LA-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type SMMxxx-72LA-MB-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type SMMxxx-72LA-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type SMMxxx-72LA-MBV**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type SMMxxx-72LA-MBV-MX3**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 72 cells

**Product data – type SMMxxx-72LA-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-410, with increments of 5W, 72 cells

**Product data – type SMMxxx-78HLA-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=405-435, with increments of 5W, 156 half-cut cells

**Product data – type SMMxxx-78HLA-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=405-435, with increments of 5W, 156 half cut cells

**Product data – type SMMxxx-78HLA-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=405-465, with increments of 5W, 156 half-cut cells

**Product data – type SMMxxx-7RLC-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

**Product data – type SMMxxx-7RLC-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-480, with increments of 5W, 156 half cut cells

**Product data – type SMMxxx-7RLC-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=430-475, with increments of 5W, 156 half-cut cells

**Product data – type SMMxxx-7RLC-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-475, with increments of 5W, 156 half cut cells

**Product data – type SMNxxx-60HLA-AB-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=315-330, with increments of 5W, 120 half-cut cells

**Product data – type SMNxxx-60HLA-ABV-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=315-330, with increments of 5W, 120 half cut cells

**Product data – type SMNxxx-60HLA-MB-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

**Product data – type SMNxxx-60HLA-MBV-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-350, with increments of 5W, 120 half cut cells

**Product data – type SMNxxx-6RLC-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-405, with increments of 5W, 132 half-cut cells

**Product data – type SMNxxx-6RLC-ABV-TI**

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V  
Description : xxx=360-405, with increments of 5W, 132 half cut cells

**Product data – type SMNxxx-6RLC-MB-T**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=360-410, with increments of 5W, 132 half-cut cells

**Product data – type SMNxxx-6RLC-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=360-400, with increments of 5W, 132 half cut cells

**Product data – type SMNxxx-6TLC-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

**Product data – type SMNxxx-6TLC-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=320-365, with increments of 5W, 120 half cut cells

**Product data – type SMNxxx-6TLC-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=335-375, with increments of 5W, 120 half-cut cells

**Product data – type SMNxxx-6TLC-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=335-365, with increments of 5W, 120 half cut cells

**Product data – type SMNxxx-72HLA-AB-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

**Product data – type SMNxxx-72HLA-ABV-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=380-400, with increments of 5W, 144 half cut cells

**Product data – type SMNxxx-72HLA-MB-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

**Product data – type SMNxxx-72HLA-MBV-MBB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=385-425, with increments of 5W, 144 half cut cells

**Product data – type SMNxxx-7RLC-AB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

**Product data – type SMNxxx-7RLC-ABV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=425-480, with increments of 5W, 156 half cut cells

**Product data – type SMNxxx-7RLC-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1000V  
Description : xxx=430-490, with increments of 5W, 156 half-cut cells

**Product data – type SMNxxx-7RLC-MBV-TI**

Design : PV module with mono c-Si cells  
Maximum System voltage : 1500V  
Description : xxx=430-475, with increments of 5W, 156 half cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-017 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park

231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District

334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.

Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone


334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune

02200 Quang Yen City, Quang Ninh Province, Vietnam



Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier



# CERTIFICATE

Issued to:  
Applicant:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Licensee:  
**Jinko Solar Co., Ltd.**  
No.1 Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules  
Trade name(s) : Jinko  
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic  
Keyword : PID Resistance  
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 14 August 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-018 REV.6

DEKRA Certification B.V.



B.T.M. Holtus  
Managing Director



C. Lin  
Certification Manager

© Integral publication of this certificate is allowed



31-90007-018

**SPECIFICATION OF THE CERTIFIED PRODUCT****Product data**

Product	: Crystalline Silicon PV Modules
Trade name(s)	: Jinko
Type(s)/model(s)	: JKMSxxxN-60H-MBB-B-V-TI, JKMSxxxM-60HB-V-TI, JKMSxxxM-60HL-V-TI, JKMSxxxM-6TL3-B-MX3, JKMSxxxM-6TL3-MX3, JKMSxxxM-72H-V-MX3, JKMSxxxM-72H-V-TI, JKMSxxxM-72HB-V-TI, JKMSxxxM-72HBL-V-TI, JKMSxxxM-72HL-V-TI, JKMSxxxN-72H-MBB-B-V-TI, JKMxxxN-54HL4R, JKMxxxN-54HL4R-B, JKMxxxN-54HL4R-V, JKMxxxN-60HL4R, JKMxxxN-60HL4R-V, JKMxxxN-72HL4R, JKMxxxN-72HL4R-TV, JKMxxxN-72HL4R-V, JKMxxxN-78HL4R-TV, JKMxxxN-78HL4R, JKMxxxN-78HL4R-TV, JKMxxxN-78HL4R-V, JKMxxxN-7TL4R, JKMxxxN-7TL4R-TV, JKMxxxN-7TL4R-V, JKNxxxN-66H-TV, JKxxxN-66H5-BTV, JKxxxN-66H5-MW, JKxxxN-66H5-MWV, MNxxx-7TLD-MB and SMNxxx-6RLC-MB-TI

**Product data – type JKMSxxxN-60H-MBB-B-V-TI**

Design	: PV module with mono c-Si cells
Maximum System Voltage	: 1500V
Description	: xxx=315-330, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HB-V-TI**

Design	: PV module with mono c-Si cells
Maximum System Voltage	: 1500V
Description	: xxx=270-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-60HL-V-TI**

Design	: PV module with mono c-Si cells
Maximum System Voltage	: 1500V
Description	: xxx=210-350, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-6TL3-B-MX3**

Design	: PV module with mono c-Si cells
Maximum System Voltage	: 1000V
Description	: xxx=320-365, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-6TL3-MX3**

Design	: PV module with mono c-Si cells
Maximum System Voltage	: 1000V
Description	: xxx=335-380, with increments of 5W, 120 half-cut cells

**Product data – type JKMSxxxM-72HBL-V-TI**

Design	: PV module with mono c-Si cells
Maximum System Voltage	: 1500V
Description	: xxx=335-450, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HB-V-TI**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=335-450, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72HL-V-TI**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=250-450, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72H-V-MX3**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxM-72H-V-TI**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=250-450, with increments of 5W, 144 half-cut cells

**Product data – type JKMSxxxN-72H-MBB-B-V-TI**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-54HL4R**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=365-455, with increments of 5W, 108 cells

**Product data – type JKMxxxN-54HL4R-B**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=380-450, with increments of 5W, 108 cells

**Product data – type JKMxxxN-54HL4R-V**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=365-455, with increments of 5W, 108 cells

**Product data – type JKMxxxN-60HL4R**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1000V  
Description : xxx=405-510, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-60HL4R-V**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=405-510, with increments of 5W, 120 half-cut cells

**Product data – type JKMxxxN-72HL4R**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1000V  
Description : xxx=485-615, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72HL4R-TV**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=485-605, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-72HL4R-V**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=480-615, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-78HL4R**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1000 V  
Description : xxx=570-650, with increments of 5W, 156 half-cut cells

**Product data – type JKMxxxN-78HL4R-TV**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500 V  
Description : xxx=570-645, with increment of 5W, 156 half-cut cells

**Product data – type JKMxxxN-78HL4R-V**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500 V  
Description : xxx=570-650, with increment of 5W, 156 half-cut cells

**Product data – type JKMxxxN-78HL4-TV**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=570-645, with increment of 5W, 156 half-cut cells

**Product data – type JKMxxxN-7TL4R**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1000 V  
Description : xxx=495-600, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-7TL4R-TV**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500 V  
Description : xxx=480-590, with increments of 5W, 144 half-cut cells

**Product data – type JKMxxxN-7TL4R-V**

Design : PV module with mono c-Si cells

Maximum System Voltage : 1500 V  
Description : xxx=495-600, with increments of 5W, 144 half-cut cells

**Product data – type JKNxxxN-66H-TV**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=345-385, with increments of 5W, 132 half-cut cells

**Product data – type JKxxxN-66H5-BTV**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500V  
Description : xxx=625-700, with increments of 5W, 132 half-cut cells

**Product data – type JKxxxN-66H5-MW**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1000 V  
Description : xxx=635-695, with increments of 5W, 132 half-cut cells

**Product data – type JKxxxN-66H5-MWV**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1500 V  
Description : xxx=630-695, with increments of 5W, 132 half-cut cells

**Product data – type MNxxx-7TLD-MB**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1000V  
Description : xxx=495-540, with increments of 5W, 144 half-cut cells

**Product data – type SMNxxx-6RLC-MB-TI**

Design : PV module with mono c-Si cells  
Maximum System Voltage : 1000V  
Description : xxx=360-410, with increments of 5W, 132 half-cut cells

**TESTS****Test requirements**

IEC TS 62804-1:2015

**Test result**

The test results are laid down in DEKRA test file 616159200.

**Additional information**

This certificate replaces certificate No. 31-90007-018 REV.5 which we hereby declare invalid.

The list of components is laid down in test report 6161592A.50.

**Conclusion**

The examination proved that all requirements were met.

**Factory locations**

Jinko Solar (Chuzhou) Co., Ltd.  
No. 18 Liming Road, Lai'an Economic Development Zone  
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.  
No.1555 Chengxin Road, Niansanli Street  
322009 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.  
No. 1 Jinko Road, Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.  
No.1, Yingbin Road, Economic Development Zone  
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.  
No.58, Yuanxi Road, Yuanhua Town  
314416 Haining City, Jiaying City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah  
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.  
No 5. Jinghai Road, Economic development zone  
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.  
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar Technology Sdn. Bhd.  
2480 Tingkat Perusahaan, Enam Perai Free Trade Zone  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.  
4660 Pow-Mia Memorial Parkway, Suite 200  
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.  
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor  
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.  
No. 66, Lifa Avenue Development Zone, Hai'an County  
226600 Nantong City Jiangsu, China

VIET NAM GREEN ENERGY COMMERCIAL SERVICE S CO., LTD.  
LotD1-1, DaiDong-Hoan Son Industrial Zone, Hoan Son Commune  
220000 Tien Du District, Bac Ninh, Vietnam

Jinko Solar Technology Sdn. Bhd.  
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai  
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.  
No.199, Xinyue Road, Huangwan Town  
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.  
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy  
Demonstration Park  
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.  
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District  
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.  
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing  
Area,Shangrao Economic Development Zone  
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED  
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune  
02200 Quang Yen City, Quang Ninh Province, Vietnam



Trade name(s): Jinko stands for  **Jinko** *Solar*  
*Building Your Trust in Solar*

Unique Identifier

