



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

**Holder of Certificate:** **Trina Solar Co., Ltd**

No. 2 TianHe Road, Trina PV Industrial Park  
New District  
213031 Changzhou City, Jiangsu Province  
PEOPLE'S REPUBLIC OF CHINA

**Product:**

**Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**  
**[Mono & Poly Crystalline Silicon Photovoltaic (PV) Module(s)]**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 64290180718109

**Date,** 2021-01-19

( Symbol Zhao )

Page 1 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

## Model(s):

TSM-xxxDE14A(II), TSM-xxxDE14A.05(II),  
 TSM-xxxDE14A.08(II), TSM-xxxDE14A.09(II),  
 TSM-xxxDE14A.T0(II), TSM-xxxDE14A.T8(II),  
 TSM-xxxDE14A.T9(II)  
 (xxx=330-390, in steps of 5).  
 TSM-xxxDE14B(II), TSM-xxxDE14B.05(II)  
 TSM-xxxDE14B.08(II), TSM-xxxDE14B.09(II),  
 TSM-xxxDE14B.T0(II), TSM-xxxDE14B.T8(II),  
 TSM-xxxDE14B.T9(II)  
 (xxx=330-385, in steps of 5).  
 TSM-xxxDE05A(II), TSM-xxxDE05A.05(II),  
 TSM-xxxDE05A.08(II), TSM-xxxDE05A.09(II),  
 TSM-xxxDE05A.T0(II), TSM-xxxDE05A.T8(II),  
 TSM-xxxDE05A.T9(II)  
 (xxx=275-325, in steps of 5).  
 TSM-xxxDE15A(II), TSM-xxxDE15A.05(II),  
 TSM-xxxDE15A.08(II), TSM-xxxDE15A.09(II),  
 TSM-xxxDE15A.T0(II), TSM-xxxDE15A.T8(II),  
 TSM-xxxDE15A.T9(II)  
 (xxx=330-385, in steps of 5).  
 TSM-xxxDE15B(II), TSM-xxxDE15B.05(II),  
 TSM-xxxDE15B.08(II), TSM-xxxDE15B.09(II),  
 TSM-xxxDE15B.T0(II), TSM-xxxDE15B.T8(II),  
 TSM-xxxDE15B.T9(II)  
 (xxx=330-385, in steps of 5).  
 TSM-xxxDE06A(II), TSM-xxxDE06A.05(II),  
 TSM-xxxDE06A.08(II), TSM-xxxDE06A.09(II),  
 TSM-xxxDE06A.T0(II), TSM-xxxDE06A.T8(II),  
 TSM-xxxDE06A.T9(II)  
 (xxx=275-325, in steps of 5).  
 TSM-xxxDE14H(II), TSM-xxxDE14H.05(II),  
 TSM-xxxDE14H.08(II), TSM-xxxDE14H.09(II),  
 TSM-xxxDE14H.T0(II), TSM-xxxDE14H.T8(II),  
 TSM-xxxDE14H.T9(II)  
 (xxx=330-395, in steps of 5).  
 TSM-xxxDE14HB(II), TSM-xxxDE14HB.05(II),  
 TSM-xxxDE14HB.08(II), TSM-xxxDE14HB.09(II),  
 TSM-xxxDE14HB.T0(II), TSM-xxxDE14HB.T8(II),  
 TSM-xxxDE14HB.T9(II)  
 (xxx=330-395, in steps of 5).  
 TSM-xxxDE05H(II), TSM-xxxDE05H.05(II),  
 TSM-xxxDE05H.08(II), TSM-xxxDE05H.09(II),  
 TSM-xxxDE05H.T0(II), TSM-xxxDE05H.T8(II),  
 TSM-xxxDE05H.T9(II)  
 (xxx=275-335, in steps of 5).  
 TSM-xxxDE15H(II), TSM-xxxDE15H.05(II),  
 TSM-xxxDE15H.08(II), TSM-xxxDE15H.09(II),  
 TSM-xxxDE15H.T0(II), TSM-xxxDE15H.T8(II),  
 TSM-xxxDE15H.T9(II)  
 (xxx=330-425, in steps of 5).  
 TSM-xxxDE15HB(II), TSM-xxxDE15HB.05(II),

Page 2 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxDE15HB.08(II), TSM-xxxDE15HB.09(II),  
 TSM-xxxDE15HB.T0(II), TSM-xxxDE15HB.T8(II),  
 TSM-xxxDE15HB.T9(II)  
 (xxx=330-425, in steps of 5).  
 TSM-xxxDE06H(II), TSM-xxxDE06H.05(II),  
 TSM-xxxDE06H.08(II), TSM-xxxDE06H.09(II),  
 TSM-xxxDE06H.T0(II), TSM-xxxDE06H.T8(II),  
 TSM-xxxDE06H.T9(II)  
 (xxx=275-350, in steps of 5);  
 TSM-xxxDE15M(II), TSM-xxxDE15M.05(II),  
 TSM-xxxDE15M.08(II), TSM-xxxDE15M.09(II),  
 TSM-xxxDE15M.T0(II), TSM-xxxDE15M.T8(II),  
 TSM-xxxDE15M.T9(II)  
 (xxx=330-420, in steps of 5).  
 TSM-xxxDE06M(II), TSM-xxxDE06M.05(II),  
 TSM-xxxDE06M.08(II), TSM-xxxDE06M.09(II),  
 TSM-xxxDE06M.T0(II), TSM-xxxDE06M.T8(II),  
 TSM-xxxDE06M.T9(II)  
 (xxx=275-350, in steps of 5).  
 TSM-xxxDE17M(II), TSM-xxxDE17M.05(II),  
 TSM-xxxDE17M.08(II), TSM-xxxDE17M.09(II),  
 TSM-xxxDE17M.T0(II), TSM-xxxDE17M.T8(II),  
 TSM-xxxDE17M.T9(II)  
 (xxx=390-460, in steps of 5).  
 TSM-xxxDE08M(II), TSM-xxxDE08M.05(II),  
 TSM-xxxDE08M.08(II), TSM-xxxDE08M.09(II),  
 TSM-xxxDE08M.T0(II), TSM-xxxDE08M.T8(II),  
 TSM-xxxDE08M.T9(II)  
 (xxx=335-380, in steps of 5).  
 TSM-xxxDE171H(II) (xxx=315-350, in steps of 5).  
 TSM-xxxDE18, TSM-xxxDE18.05  
 TSM-xxxDE18.08, TSM-xxxDE18.09  
 TSM-xxxDE18.T0, TSM-xxxDE18.T8  
 TSM-xxxDE18.T9  
 (xxx=515-555, in steps of 5).  
 TSM-xxxDE10, TSM-xxxDE10.05  
 TSM-xxxDE10.08, TSM-xxxDE10.09  
 TSM-xxxDE10.T0, TSM-xxxDE10.T8  
 TSM-xxxDE10.T9  
 (xxx=430-455, in steps of 5).  
 TSM-xxxDE20, TSM-xxxDE20.05  
 TSM-xxxDE20.08, TSM-xxxDE20.09  
 TSM-xxxDE20.T0, TSM-xxxDE20.T8  
 TSM-xxxDE20.T9  
 (xxx=575-610, in steps of 5).  
 TSM-xxxDE19, TSM-xxxDE19.05  
 TSM-xxxDE19.08, TSM-xxxDE19.09  
 TSM-xxxDE19.T0, TSM-xxxDE19.T8  
 TSM-xxxDE19.T9  
 (xxx=530-555, in steps of 5).  
 TSM-xxxDE18M(II), TSM-xxxDE18M.05(II),

Page 3 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

TÜV®



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxDE18M.08(II), TSM-xxxDE18M.09(II),  
 TSM-xxxDE18M.T0(II), TSM-xxxDE18M.T8(II),  
 TSM-xxxDE18M.T9(II)  
 (xxx=470-515, in steps of 5).  
 TSM-xxxDE15X(II), TSM-xxxDE15X.05(II),  
 TSM-xxxDE15X.08(II), TSM-xxxDE15X.09(II),  
 TSM-xxxDE15X.T0(II), TSM-xxxDE15X.T8(II),  
 TSM-xxxDE15X.T9(II)  
 (xxx=405-435, in steps of 5)  
 TSM-xxxDE06X(II), TSM-xxxDE06X.05(II),  
 TSM-xxxDE06X.08(II), TSM-xxxDE06X.09(II),  
 TSM-xxxDE06X.T0(II), TSM-xxxDE06X.T8(II),  
 TSM-xxxDE06X.T9(II)  
 (xxx=345-365, in steps of 5).  
 TSM-xxxDE17X(II), TSM-xxxDE17X.05(II),  
 TSM-xxxDE17X.08(II), TSM-xxxDE17X.09(II),  
 TSM-xxxDE17X.T0(II), TSM-xxxDE17X.T8(II),  
 TSM-xxxDE17X.T9(II)  
 (xxx=450-485, in steps of 5)  
 TSM-xxxNE15M(II), TSM-xxxNE15M.05(II),  
 TSM-xxxNE15M.08(II), TSM-xxxNE15M.09(II),  
 TSM-xxxNE15M.T0(II), TSM-xxxNE15M.T8(II),  
 TSM-xxxNE15M.T9(II)  
 (xxx=375-430, in steps of 5).  
 TSM-xxxNE06M(II), TSM-xxxNE06M.05(II),  
 TSM-xxxNE06M.08(II), TSM-xxxNE06M.09(II),  
 TSM-xxxNE06M.T0(II), TSM-xxxNE06M.T8(II),  
 TSM-xxxNE06M.T9(II)  
 (xxx=315-355, in steps of 5).  
 TSM-xxxNE16M(II), TSM-xxxNE16M.05(II),  
 TSM-xxxNE16M.08(II), TSM-xxxNE16M.09(II),  
 TSM-xxxNE16M.T0(II), TSM-xxxNE16M.T8(II),  
 TSM-xxxNE16M.T9(II)  
 (xxx=375-405, in steps of 5).  
 TSM-xxxNE07M(II), TSM-xxxNE07M.05(II),  
 TSM-xxxNE07M.08(II), TSM-xxxNE07M.09(II),  
 TSM-xxxNE07M.T0(II), TSM-xxxNE07M.T8(II),  
 TSM-xxxNE07M.T9(II)  
 (xxx=315-335, in steps of 5).  
 TSM-xxxNE15X(II), TSM-xxxNE15X.05(II),  
 TSM-xxxNE15X.08(II), TSM-xxxNE15X.09(II),  
 TSM-xxxNE15X.T0(II), TSM-xxxNE15X.T8(II),  
 TSM-xxxNE15X.T9(II)  
 (xxx=405-435, in steps of 5)  
 TSM-xxxNE06X(II), TSM-xxxNE06X.05(II),  
 TSM-xxxNE06X.08(II), TSM-xxxNE06X.09(II),  
 TSM-xxxNE06X.T0(II), TSM-xxxNE06X.T8(II),  
 TSM-xxxNE06X.T9(II)  
 (xxx=345-390, in steps of 5)  
 TSM-xxxPE14A, TSM-xxxPE14A.08,  
 TSM-xxxPE14A.09, TSM-xxxPE14A(II),

Page 4 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

TÜV®



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxPE14A.08(II), TSM-xxxPE14A.09(II),  
 TSM-xxxPE14A.T0, TSM-xxxPE14A.T8,  
 TSM-xxxPE14A.T9, TSM-xxxPE14A.T0(II),  
 TSM-xxxPE14A.T8(II), TSM-xxxPE14A.T9(II)  
 (xxx=305-360, in steps of 5).

TSM-xxxPE14B, TSM-xxxPE14B.08,  
 TSM-xxxPE14B.09, TSM-xxxPE14B(II),  
 TSM-xxxPE14B.08(II), TSM-xxxPE14B.09(II),  
 TSM-xxxPE14B.T0, TSM-xxxPE14B.T8,  
 TSM-xxxPE14B.T9, TSM-xxxPE14B.T0(II),  
 TSM-xxxPE14B.T8(II), TSM-xxxPE14B.T9(II)  
 (xxx=305-360, in steps of 5).

TSM-xxxPE05A, TSM-xxxPE05A.08,  
 TSM-xxxPE05A.09, TSM-xxxPE05A(II),  
 TSM-xxxPE05A.08(II), TSM-xxxPE05A.09(II),  
 TSM-xxxPE05A.T0, TSM-xxxPE05A.T8,  
 TSM-xxxPE05A.T9, TSM-xxxPE05A.T0(II),  
 TSM-xxxPE05A.T8(II), TSM-xxxPE05A.T9(II)  
 (xxx=255-300, in steps of 5).

TSM-xxxPE15A, TSM-xxxPE15A.08,  
 TSM-xxxPE15A.09, TSM-xxxPE15A(II),  
 TSM-xxxPE15A.08(II), TSM-xxxPE15A.09(II),  
 TSM-xxxPE15A.T0, TSM-xxxPE15A.T8,  
 TSM-xxxPE15A.T9, TSM-xxxPE15A.T0(II),  
 TSM-xxxPE15A.T8(II), TSM-xxxPE15A.T9(II)  
 (xxx=305-360, in steps of 5).

TSM-xxxPE15B, TSM-xxxPE15B.08,  
 TSM-xxxPE15B.09, TSM-xxxPE15B(II),  
 TSM-xxxPE15B.08(II), TSM-xxxPE15B.09(II),  
 TSM-xxxPE15B.T0, TSM-xxxPE15B.T8,  
 TSM-xxxPE15B.T9, TSM-xxxPE15B.T0(II),  
 TSM-xxxPE15B.T8(II), TSM-xxxPE15B.T9(II)  
 (xxx=305-360, in steps of 5).

TSM-xxxPE06A, TSM-xxxPE06A.08,  
 TSM-xxxPE06A.09, TSM-xxxPE06A(II),  
 TSM-xxxPE06A.08(II), TSM-xxxPE06A.09(II),  
 TSM-xxxPE06A.T0, TSM-xxxPE06A.T8,  
 TSM-xxxPE06A.T9, TSM-xxxPE06A.T0(II),  
 TSM-xxxPE06A.T8(II), TSM-xxxPE06A.T9(II)  
 (xxx=255-300, in steps of 5).

TSM-xxxPE14H, TSM-xxxPE14H.08,  
 TSM-xxxPE14H.09, TSM-xxxPE14H(II),  
 TSM-xxxPE14H.08(II), TSM-xxxPE14H.09(II),  
 TSM-xxxPE14H.T0, TSM-xxxPE14H.T8,  
 TSM-xxxPE14H.T9, TSM-xxxPE14H.T0(II),  
 TSM-xxxPE14H.T8(II), TSM-xxxPE14H.T9(II)  
 (xxx=320-360, in steps of 5).

TSM-xxxPE14HB, TSM-xxxPE14HB.08,  
 TSM-xxxPE14HB.09, TSM-xxxPE14HB(II),  
 TSM-xxxPE14HB.08(II), TSM-xxxPE14HB.09(II),  
 TSM-xxxPE14HB.T0, TSM-xxxPE14HB.T8,

Page 5 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxPE14HB.T9, TSM-xxxPE14HB.T0(II),  
 TSM-xxxPE14HB.T8(II), TSM-xxxPE14HB.T9(II)  
 (xxx=320-360, in steps of 5).  
 TSM-xxxPE05H, TSM-xxxPE05H.08,  
 TSM-xxxPE05H.09, TSM-xxxPE05H(II),  
 TSM-xxxPE05H.08(II), TSM-xxxPE05H.09(II),  
 TSM-xxxPE05H.T0, TSM-xxxPE05H.T8,  
 TSM-xxxPE05H.T9, TSM-xxxPE05H.T0(II),  
 TSM-xxxPE05H.T8(II), TSM-xxxPE05H.T9(II)  
 (xxx=270-300, in steps of 5).  
 TSM-xxxPE15H, TSM-xxxPE15H.08,  
 TSM-xxxPE15H.09, TSM-xxxPE15H(II),  
 TSM-xxxPE15H.08(II), TSM-xxxPE15H.09(II),  
 TSM-xxxPE15H.T0, TSM-xxxPE15H.T8,  
 TSM-xxxPE15H.T9, TSM-xxxPE15H.T0(II),  
 TSM-xxxPE15H.T8(II), TSM-xxxPE15H.T9(II)  
 (xxx=320-405, in steps of 5).  
 TSM-xxxPE15HB, TSM-xxxPE15HB.08,  
 TSM-xxxPE15HB.09, TSM-xxxPE15HB(II),  
 TSM-xxxPE15HB.08(II), TSM-xxxPE15HB.09(II),  
 TSM-xxxPE15HB.T0, TSM-xxxPE15HB.T8,  
 TSM-xxxPE15HB.T9, TSM-xxxPE15HB.T0(II),  
 TSM-xxxPE15HB.T8(II), TSM-xxxPE15HB.T9(II)  
 (xxx=320-390, in steps of 5).  
 TSM-xxxPE06H, TSM-xxxPE06H.08,  
 TSM-xxxPE06H.09, TSM-xxxPE06H(II),  
 TSM-xxxPE06H.08(II), TSM-xxxPE06H.09(II),  
 TSM-xxxPE06H.T0, TSM-xxxPE06H.T8,  
 TSM-xxxPE06H.T9, TSM-xxxPE06H.T0(II),  
 TSM-xxxPE06H.T8(II), TSM-xxxPE06H.T9(II)  
 (xxx=270-335, in steps of 5).  
 TSM-xxxPE15M, TSM-xxxPE15M.08,  
 TSM-xxxPE15M.09, TSM-xxxPE15M.T0,  
 TSM-xxxPE15M.T8, TSM-xxxPE15M.T9,  
 TSM-xxxPE15M(II), TSM-xxxPE15M.08(II),  
 TSM-xxxPE15M.09(II), TSM-xxxPE15M.T0(II),  
 TSM-xxxPE15M.T8(II), TSM-xxxPE15M.T9(II)  
 (xxx=320-405, in steps of 5).  
 TSM-xxxPE06M, TSM-xxxPE06M.08,  
 TSM-xxxPE06M.09, TSM-xxxPE06M.T0,  
 TSM-xxxPE06M.T8, TSM-xxxPE06M.T9,  
 TSM-xxxPE06M(II), TSM-xxxPE06M.08(II),  
 TSM-xxxPE06M.09(II), TSM-xxxPE06M.T0(II),  
 TSM-xxxPE06M.T8(II), TSM-xxxPE06M.T9(II)  
 (xxx=270-335, in steps of 5).  
 TSM-xxxPE17M, TSM-xxxPE17M.08,  
 TSM-xxxPE17M.09, TSM-xxxPE17M.T0,  
 TSM-xxxPE17M.T8, TSM-xxxPE17M.T9,  
 TSM-xxxPE17M(II), TSM-xxxPE17M.08(II),  
 TSM-xxxPE17M.09(II), TSM-xxxPE17M.T0(II),  
 TSM-xxxPE17M.T8(II), TSM-xxxPE17M.T9(II)

Page 6 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

(xxx=410-445, in steps of 5).

TSM-xxxPE08M, TSM-xxxPE08M.08,  
 TSM-xxxPE08M.09, TSM-xxxPE08M.T0,  
 TSM-xxxPE08M.T8, TSM-xxxPE08M.T9,  
 TSM-xxxPE08M(II), TSM-xxxPE08M.08(II),  
 TSM-xxxPE08M.09(II), TSM-xxxPE08M.T0(II),  
 TSM-xxxPE08M.T8(II), TSM-xxxPE08M.T9(II)

(xxx=335-365, in steps of 5).

TSM-xxxDE15V(II), TSM-xxxDE15V.05(II),  
 TSM-xxxDE15V.08(II), TSM-xxxDE15V.09(II),  
 TSM-xxxDE15V.T0(II), TSM-xxxDE15V.T8(II),  
 TSM-xxxDE15V.T9(II)

(xxx=465-490, in steps of 5).

TSM-xxxDE09, TSM-xxxDE09.05,  
 TSM-xxxDE09.08, TSM-xxxDE09.09,  
 TSM-xxxDE09.T0, TSM-xxxDE09.T8,  
 TSM-xxxDE09.T9

(xxx=380-405, in steps of 5).

## Parameters:

Rated output power at STC: See below table

Safety class: Class II

Max. system voltage: 1500 V d.c.

Construction: Framed, with Junction box,  
 Cable and Connectors

Model	Rated output power at STC
TSM-xxxDE14A(II), TSM-xxxDE14A.05(II), TSM-xxxDE14A.08(II), TSM-xxxDE14A.09(II), TSM-xxxDE14A.T0(II), TSM-xxxDE14A.T8(II), TSM-xxxDE14A.T9(II) (xxx=330-390, in steps of 5).	330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W.
TSM-xxxDE14B(II), TSM-xxxDE14B.05(II) TSM-xxxDE14B.08(II), TSM-xxxDE14B.09(II), TSM-xxxDE14B.T0(II), TSM-xxxDE14B.T8(II), TSM-xxxDE14B.T9(II) (xxx=330-385, in steps of 5).	330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W;
TSM-xxxDE05A(II), TSM-xxxDE05A.05(II), TSM-xxxDE05A.08(II), TSM-xxxDE05A.09(II), TSM-xxxDE05A.T0(II), TSM-xxxDE05A.T8(II), TSM-xxxDE05A.T9(II) (xxx=275-325, in steps of 5).	275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W;
TSM-xxxDE15A(II), TSM-xxxDE15A.05(II), TSM-xxxDE15A.08(II), TSM-xxxDE15A.09(II), TSM-xxxDE15A.T0(II), TSM-xxxDE15A.T8(II), TSM-xxxDE15A.T9(II) (xxx=330-385, in steps of 5).	330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W;



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxDE15B(II), TSM-xxxDE15B.05(II), TSM-xxxDE15B.08(II), TSM-xxxDE15B.09(II), TSM-xxxDE15B.T0(II), TSM-xxxDE15B.T8(II), TSM-xxxDE15B.T9(II) (xxx=330-385, in steps of 5).	330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W;
TSM-xxxDE06A(II), TSM-xxxDE06A.05(II), TSM-xxxDE06A.08(II), TSM-xxxDE06A.09(II), TSM-xxxDE06A.T0(II), TSM-xxxDE06A.T8(II), TSM-xxxDE06A.T9(II) (xxx=275-325, in steps of 5).	275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W;
TSM-xxxDE14H(II), TSM-xxxDE14H.05(II), TSM-xxxDE14H.08(II), TSM-xxxDE14H.09(II), TSM-xxxDE14H.T0(II), TSM-xxxDE14H.T8(II), TSM-xxxDE14H.T9(II) (xxx=330-395, in steps of 5).	330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W, 395 W;
TSM-xxxDE14HB(II), TSM-xxxDE14HB.05(II), TSM-xxxDE14HB.08(II), TSM-xxxDE14HB.09(II), TSM-xxxDE14HB.T0(II), TSM-xxxDE14HB.T8(II), TSM-xxxDE14HB.T9(II) (xxx=330-395, in steps of 5).	330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W, 395 W;
TSM-xxxDE05H(II), TSM-xxxDE05H.05(II), TSM-xxxDE05H.08(II), TSM-xxxDE05H.09(II), TSM-xxxDE05H.T0(II), TSM-xxxDE05H.T8(II), TSM-xxxDE05H.T9(II) (xxx=275-335, in steps of 5).	275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W;
TSM-xxxDE15H(II), TSM-xxxDE15H.05(II), TSM-xxxDE15H.08(II), TSM-xxxDE15H.09(II), TSM-xxxDE15H.T0(II), TSM-xxxDE15H.T8(II), TSM-xxxDE15H.T9(II) (xxx=330-425, in steps of 5).	330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W, 395 W, 400 W, 405 W, 410W, 415 W, 420 W, 425 W;
TSM-xxxDE15HB(II), TSM-xxxDE15HB.05(II), TSM-xxxDE15HB.08(II), TSM-xxxDE15HB.09(II), TSM-xxxDE15HB.T0(II), TSM-xxxDE15HB.T8(II), TSM-xxxDE15HB.T9(II) (xxx=330-425, in steps of 5).	330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W, 395 W, 400 W, 405 W, 410 W, 415 W, 420 W, 425 W;
TSM-xxxDE06H(II), TSM-xxxDE06H.05(II), TSM-xxxDE06H.08(II), TSM-xxxDE06H.09(II), TSM-xxxDE06H.T0(II), TSM-xxxDE06H.T8(II), TSM-xxxDE06H.T9(II) (xxx=275-350, in steps of 5);	275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W;
TSM-xxxDE15M(II), TSM-xxxDE15M.05(II), TSM-xxxDE15M.08(II), TSM-xxxDE15M.09(II), TSM-xxxDE15M.T0(II), TSM-xxxDE15M.T8(II), TSM-xxxDE15M.T9(II) (xxx=330-420, in steps of 5).	330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W, 395 W, 400 W, 405 W, 410 W, 415 W, 420 W;
TSM-xxxDE06M(II), TSM-xxxDE06M.05(II), TSM-xxxDE06M.08(II), TSM-xxxDE06M.09(II), TSM-xxxDE06M.T0(II), TSM-xxxDE06M.T8(II), TSM-xxxDE06M.T9(II) (xxx=275-350, in steps of 5).	275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W;

Page 8 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.





Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxDE17M(II), TSM-xxxDE17M.05(II), TSM-xxxDE17M.08(II), TSM-xxxDE17M.09(II), TSM-xxxDE17M.T0(II), TSM-xxxDE17M.T8(II), TSM-xxxDE17M.T9(II) (xxx=390-460, in steps of 5).	390 W, 395 W, 400 W, 405 W, 410 W, 415 W, 420 W, 425 W, 430 W, 435 W, 440 W, 445 W, 450 W, 455 W, 460 W;
TSM-xxxDE08M(II), TSM-xxxDE08M.05(II), TSM-xxxDE08M.08(II), TSM-xxxDE08M.09(II), TSM-xxxDE08M.T0(II), TSM-xxxDE08M.T8(II), TSM-xxxDE08M.T9(II) (xxx=335-380, in steps of 5).	335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W;
TSM-xxxDE171H(II) (xxx=315-350, in steps of 5).	315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W;
TSM-xxxDE18, TSM-xxxDE18.05 TSM-xxxDE18.08, TSM-xxxDE18.09 TSM-xxxDE18.T0, TSM-xxxDE18.T8 TSM-xxxDE18.T9 (xxx=515-555, in steps of 5).	515 W, 520 W, 525 W, 530 W, 535 W, 540 W, 545 W, 550 W, 555 W;
TSM-xxxDE10, TSM-xxxDE10.05 TSM-xxxDE10.08, TSM-xxxDE10.09 TSM-xxxDE10.T0, TSM-xxxDE10.T8 TSM-xxxDE10.T9 (xxx=430-455, in steps of 5).	430 W, 435 W, 440 W, 445 W, 450 W, 455 W;
TSM-xxxDE20, TSM-xxxDE20.05 TSM-xxxDE20.08, TSM-xxxDE20.09 TSM-xxxDE20.T0, TSM-xxxDE20.T8 TSM-xxxDE20.T9 (xxx=575-610, in steps of 5).	575 W, 580 W, 585 W, 590 W, 595 W, 600 W, 605 W, 610 W;
TSM-xxxDE19, TSM-xxxDE19.05 TSM-xxxDE19.08, TSM-xxxDE19.09 TSM-xxxDE19.T0, TSM-xxxDE19.T8 TSM-xxxDE19.T9 (xxx=530-555, in steps of 5).	530 W, 535 W, 540 W, 545 W, 550 W, 555 W;
TSM-xxxDE18M(II), TSM-xxxDE18M.05(II), TSM-xxxDE18M.08(II), TSM-xxxDE18M.09(II), TSM-xxxDE18M.T0(II), TSM-xxxDE18M.T8(II), TSM-xxxDE18M.T9(II) (xxx=470-515, in steps of 5).	470 W, 475 W, 480 W, 485 W, 490 W, 495 W, 500 W, 505 W, 510 W, 515 W;
TSM-xxxDE15X(II), TSM-xxxDE15X.05(II), TSM-xxxDE15X.08(II), TSM-xxxDE15X.09(II), TSM-xxxDE15X.T0(II), TSM-xxxDE15X.T8(II), TSM-xxxDE15X.T9(II) (xxx=405-435, in steps of 5)	405 W, 410 W, 415 W, 420 W, 425 W, 430 W, 435 W;
TSM-xxxDE06X(II), TSM-xxxDE06X.05(II), TSM-xxxDE06X.08(II), TSM-xxxDE06X.09(II), TSM-xxxDE06X.T0(II), TSM-xxxDE06X.T8(II), TSM-xxxDE06X.T9(II) (xxx=345-365, in steps of 5).	345 W, 350 W, 355 W, 360 W, 365 W;



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxDE17X(II), TSM-xxxDE17X.05(II), TSM-xxxDE17X.08(II), TSM-xxxDE17X.09(II), TSM-xxxDE17X.T0(II), TSM-xxxDE17X.T8(II), TSM-xxxDE17X.T9(II) (xxx=450-485, in steps of 5)	450 W, 455 W, 460 W, 465 W, 470 W, 475 W, 480 W, 485 W;
TSM-xxxNE15M(II), TSM-xxxNE15M.05(II), TSM-xxxNE15M.08(II), TSM-xxxNE15M.09(II), TSM-xxxNE15M.T0(II), TSM-xxxNE15M.T8(II), TSM-xxxNE15M.T9(II) (xxx=375-430, in steps of 5).	375 W, 380 W, 385 W, 390 W, 395 W, 400 W, 405 W, 410 W, 415 W, 420 W, 425 W, 430 W;
TSM-xxxNE06M(II), TSM-xxxNE06M.05(II), TSM-xxxNE06M.08(II), TSM-xxxNE06M.09(II), TSM-xxxNE06M.T0(II), TSM-xxxNE06M.T8(II), TSM-xxxNE06M.T9(II) (xxx=315-355, in steps of 5).	315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W;
TSM-xxxNE16M(II), TSM-xxxNE16M.05(II), TSM-xxxNE16M.08(II), TSM-xxxNE16M.09(II), TSM-xxxNE16M.T0(II), TSM-xxxNE16M.T8(II), TSM-xxxNE16M.T9(II) (xxx=375-405, in steps of 5).	375 W, 380 W, 385 W, 390 W, 395 W, 400 W, 405 W.
TSM-xxxNE07M(II), TSM-xxxNE07M.05(II), TSM-xxxNE07M.08(II), TSM-xxxNE07M.09(II), TSM-xxxNE07M.T0(II), TSM-xxxNE07M.T8(II), TSM-xxxNE07M.T9(II) (xxx=315-335, in steps of 5).	315 W, 320 W, 325 W, 330 W, 335 W.
TSM-xxxNE15X(II), TSM-xxxNE15X.05(II), TSM-xxxNE15X.08(II), TSM-xxxNE15X.09(II), TSM-xxxNE15X.T0(II), TSM-xxxNE15X.T8(II), TSM-xxxNE15X.T9(II) (xxx=405-435, in steps of 5)	405 W, 410 W, 415 W, 420 W, 425 W, 430 W, 435 W;
TSM-xxxNE06X(II), TSM-xxxNE06X.05(II), TSM-xxxNE06X.08(II), TSM-xxxNE06X.09(II), TSM-xxxNE06X.T0(II), TSM-xxxNE06X.T8(II), TSM-xxxNE06X.T9(II) (xxx=345-390, in steps of 5)	345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W;
TSM-xxxPE14A, TSM-xxxPE14A.08, TSM-xxxPE14A.09, TSM-xxxPE14A(II), TSM-xxxPE14A.08(II), TSM-xxxPE14A.09(II), TSM-xxxPE14A.T0, TSM-xxxPE14A.T8, TSM-xxxPE14A.T9, TSM-xxxPE14A.T0(II), TSM-xxxPE14A.T8(II), TSM-xxxPE14A.T9(II) (xxx=305-360, in steps of 5).	305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W;
TSM-xxxPE14B, TSM-xxxPE14B.08, TSM-xxxPE14B.09, TSM-xxxPE14B(II), TSM-xxxPE14B.08(II), TSM-xxxPE14B.09(II), TSM-xxxPE14B.T0, TSM-xxxPE14B.T8, TSM-xxxPE14B.T9, TSM-xxxPE14B.T0(II), TSM-xxxPE14B.T8(II), TSM-xxxPE14B.T9(II) (xxx=305-360, in steps of 5).	305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W;

Page 10 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxPE05A, TSM-xxxPE05A.08, TSM-xxxPE05A.09, TSM-xxxPE05A(II), TSM-xxxPE05A.08(II), TSM-xxxPE05A.09(II), TSM-xxxPE05A.T0, TSM-xxxPE05A.T8, TSM-xxxPE05A.T9, TSM-xxxPE05A.T0(II), TSM-xxxPE05A.T8(II), TSM-xxxPE05A.T9(II) (xxx=255-300, in steps of 5).	255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W;
TSM-xxxPE15A, TSM-xxxPE15A.08, TSM-xxxPE15A.09, TSM-xxxPE15A(II), TSM-xxxPE15A.08(II), TSM-xxxPE15A.09(II), TSM-xxxPE15A.T0, TSM-xxxPE15A.T8, TSM-xxxPE15A.T9, TSM-xxxPE15A.T0(II), TSM-xxxPE15A.T8(II), TSM-xxxPE15A.T9(II) (xxx=305-360, in steps of 5).	305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W;
TSM-xxxPE15B, TSM-xxxPE15B.08, TSM-xxxPE15B.09, TSM-xxxPE15B(II), TSM-xxxPE15B.08(II), TSM-xxxPE15B.09(II), TSM-xxxPE15B.T0, TSM-xxxPE15B.T8, TSM-xxxPE15B.T9, TSM-xxxPE15B.T0(II), TSM-xxxPE15B.T8(II), TSM-xxxPE15B.T9(II) (xxx=305-360, in steps of 5).	305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W;
TSM-xxxPE06A, TSM-xxxPE06A.08, TSM-xxxPE06A.09, TSM-xxxPE06A(II), TSM-xxxPE06A.08(II), TSM-xxxPE06A.09(II), TSM-xxxPE06A.T0, TSM-xxxPE06A.T8, TSM-xxxPE06A.T9, TSM-xxxPE06A.T0(II), TSM-xxxPE06A.T8(II), TSM-xxxPE06A.T9(II) (xxx=255-300, in steps of 5).	255 W, 260 W, 265 W, 270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W;
TSM-xxxPE14H, TSM-xxxPE14H.08, TSM-xxxPE14H.09, TSM-xxxPE14H(II), TSM-xxxPE14H.08(II), TSM-xxxPE14H.09(II), TSM-xxxPE14H.T0, TSM-xxxPE14H.T8, TSM-xxxPE14H.T9, TSM-xxxPE14H.T0(II), TSM-xxxPE14H.T8(II), TSM-xxxPE14H.T9(II) (xxx=320-360, in steps of 5).	320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W;
TSM-xxxPE14HB, TSM-xxxPE14HB.08, TSM-xxxPE14HB.09, TSM-xxxPE14HB(II), TSM-xxxPE14HB.08(II), TSM-xxxPE14HB.09(II), TSM-xxxPE14HB.T0, TSM-xxxPE14HB.T8, TSM-xxxPE14HB.T9, TSM-xxxPE14HB.T0(II), TSM-xxxPE14HB.T8(II), TSM-xxxPE14HB.T9(II) (xxx=320-360, in steps of 5).	320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W;
TSM-xxxPE05H, TSM-xxxPE05H.08, TSM-xxxPE05H.09, TSM-xxxPE05H(II), TSM-xxxPE05H.08(II), TSM-xxxPE05H.09(II), TSM-xxxPE05H.T0, TSM-xxxPE05H.T8, TSM-xxxPE05H.T9, TSM-xxxPE05H.T0(II), TSM-xxxPE05H.T8(II), TSM-xxxPE05H.T9(II) (xxx=270-300, in steps of 5).	270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W

Page 11 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxPE15H, TSM-xxxPE15H.08, TSM-xxxPE15H.09, TSM-xxxPE15H(II), TSM-xxxPE15H.08(II), TSM-xxxPE15H.09(II), TSM-xxxPE15H.T0, TSM-xxxPE15H.T8, TSM-xxxPE15H.T9, TSM-xxxPE15H.T0(II), TSM-xxxPE15H.T8(II), TSM-xxxPE15H.T9(II) (xxx=320-405, in steps of 5).	320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W, 395 W, 400 W, 405 W;
TSM-xxxPE15HB, TSM-xxxPE15HB.08, TSM-xxxPE15HB.09, TSM-xxxPE15HB(II), TSM-xxxPE15HB.08(II), TSM-xxxPE15HB.09(II), TSM-xxxPE15HB.T0, TSM-xxxPE15HB.T8, TSM-xxxPE15HB.T9, TSM-xxxPE15HB.T0(II), TSM-xxxPE15HB.T8(II), TSM-xxxPE15HB.T9(II) (xxx=320-390, in steps of 5).	320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W;
TSM-xxxPE06H, TSM-xxxPE06H.08, TSM-xxxPE06H.09, TSM-xxxPE06H(II), TSM-xxxPE06H.08(II), TSM-xxxPE06H.09(II), TSM-xxxPE06H.T0, TSM-xxxPE06H.T8, TSM-xxxPE06H.T9, TSM-xxxPE06H.T0(II), TSM-xxxPE06H.T8(II), TSM-xxxPE06H.T9(II) (xxx=270-335, in steps of 5).	270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W.
TSM-xxxPE15M, TSM-xxxPE15M.08, TSM-xxxPE15M.09, TSM-xxxPE15M.T0, TSM-xxxPE15M.T8, TSM-xxxPE15M.T9, TSM-xxxPE15M(II), TSM-xxxPE15M.08(II), TSM-xxxPE15M.09(II), TSM-xxxPE15M.T0(II), TSM-xxxPE15M.T8(II), TSM-xxxPE15M.T9(II) (xxx=320-405, in steps of 5).	320 W, 325 W, 330 W, 335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W, 370 W, 375 W, 380 W, 385 W, 390 W, 395 W, 400 W, 405 W.
TSM-xxxPE06M, TSM-xxxPE06M.08, TSM-xxxPE06M.09, TSM-xxxPE06M.T0, TSM-xxxPE06M.T8, TSM-xxxPE06M.T9, TSM-xxxPE06M(II), TSM-xxxPE06M.08(II), TSM-xxxPE06M.09(II), TSM-xxxPE06M.T0(II), TSM-xxxPE06M.T8(II), TSM-xxxPE06M.T9(II) (xxx=270-335, in steps of 5).	270 W, 275 W, 280 W, 285 W, 290 W, 295 W, 300 W, 305 W, 310 W, 315 W, 320 W, 325 W, 330 W, 335 W.
TSM-xxxPE17M, TSM-xxxPE17M.08, TSM-xxxPE17M.09, TSM-xxxPE17M.T0, TSM-xxxPE17M.T8, TSM-xxxPE17M.T9, TSM-xxxPE17M(II), TSM-xxxPE17M.08(II), TSM-xxxPE17M.09(II), TSM-xxxPE17M.T0(II), TSM-xxxPE17M.T8(II), TSM-xxxPE17M.T9(II) (xxx=410-445, in steps of 5).	410 W, 415 W, 420 W, 425 W, 430 W, 435 W, 440 W, 445 W.
TSM-xxxPE08M, TSM-xxxPE08M.08, TSM-xxxPE08M.09, TSM-xxxPE08M.T0, TSM-xxxPE08M.T8, TSM-xxxPE08M.T9, TSM-xxxPE08M(II), TSM-xxxPE08M.08(II), TSM-xxxPE08M.09(II), TSM-xxxPE08M.T0(II), TSM-xxxPE08M.T8(II), TSM-xxxPE08M.T9(II) (xxx=335-365, in steps of 5).	335 W, 340 W, 345 W, 350 W, 355 W, 360 W, 365 W.

Page 12 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. N8A 070321 0115 Rev. 08

TSM-xxxDE15V(II), TSM-xxxDE15V.05(II), TSM-xxxDE15V.08(II), TSM-xxxDE15V.09(II), TSM-xxxDE15V.T0(II), TSM-xxxDE15V.T8(II), TSM-xxxDE15V.T9(II) (xxx=465-490, in steps of 5).	465 W, 470 W, 475 W, 480 W, 485 W, 490 W.
TSM-xxxDE09, TSM-xxxDE09.05, TSM-xxxDE09.08, TSM-xxxDE09.09, TSM-xxxDE09.T0, TSM-xxxDE09.T8, TSM-xxxDE09.T9 (xxx=380-405, in steps of 5).	380 W, 385 W, 390 W, 395 W, 400 W, 405 W.

**Tested  
according to:**

EN IEC 61730-1:2018  
EN IEC 61730-2:2018

Page 13 of 13

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.